

Colombia 2014

Pre-tension with Manakin Nature Tours

(Hugh Buck (HB) , Raymond Jeffers (RJ), Luis Eduardo Urruena (LE))

Thursday 20 February

Arrive Bogota

Friday 21 February

Bogota – La Florida (F) – Rogitama (R) – Soata (S)

Saturday 22 February

Soata upper oak and lower dry forest

Sunday 23 February

Soata – Bogota via Paramo Susacon

Monday 24 February

Bogota – Monterrerondo (M)

Tuesday 25 February

Bogota – Chiganza NP and Lagunas de Siecha

Wednesday 26 February

Bogota – Chicaque NP (Ch) – Medellin (air)

Thursday 27 February

Medellin – La Romero (LR) – Bolombolo (B) – Urrao

Friday 28 February

Urrao – Starfrontlet Reserve (SF)

Saturday 1 March

Urrao – Medellin – Rio Claro (RC)

Sunday 2 March

Rio Claro – Los Negros

Monday 3 March

Join Manu Expeditions (**Andean Endemics” Tour**. Los Negros – ProAves Arrierito Antioquena (Piha) Reserve (AA)

Tuesday 4 March

Piha Reserve to 1900m

Wednesday 5 March

Piha Reserve – Medellin – ProAves Las Tangaras Reserve (LT)

Thursday 6 March

Las Tangaras Reserve to 2000m

Friday 7 March

Las Tangaras – La M Pass (2800m) – Bolombolo – Jardin

Saturday 8 March

ProAves Coro Onejiamando (Yellow-eared Parrot) Reserve (YE) – Pereira – ProAves Otum Quimbaya Reserve

Sunday 9 March

La Suiza (LS) Road – Manizales

Monday 10 March

ProAves Lower Rio Blanco (RB) Reserve

Tuesday 11 March

Manizales – Los Nevados NP to 4200m (LN) – Mariquita – El Libano

Wednesday 12 March

Libano (L) – El Hato Road (EH) – Mariquita

Thursday 13 March

Mariquita – La Victoria (V) – Puerto Boyaca – Puerto Pinzan – ProAves El Paujil (P) Reserve

Friday 14 March

El Paujil Reserve

Saturday 15 March

El Paujil Reseve

Sunday 16 March

E Paujil – ProAves Reinita Cielo Azul (Cerulean Warbler) Reserve (CW)

Monday 17 March

CW Reserve to 1865m

Tuesday 18 March

CW – Ocana

Wednesday 19 March

ProAves Hormiguero de Tarcaroma (Bushbird) Reserve (BR)

Thursday 19 March

Santa Marta Extension

Ocana – Rodadero

Friday 20 March

Rodadero – La Tayrona NP – Riohacha – Los Flamencos NP (LF)

Saturday 21 March

LF – Minca – San Lorenzo Ridge (SL) – El Dorado

Sunday 22 March

SL above El Dorado

Monday 24 March

SL below El Dorado

Tuesday 25 March

El Dorado – Minca

Wednesday 26 March

Minca – La Ye – Santa Marta – Bogota (air)

Thursday 27 March

Depart Bogota

Birds

E = Endemic to Colombia

1. Highland Tinamou (*Nothocercus bonapartei*)*
CW 17/3. New for SA for HB
2. Gray Tinamou (*Tinamus lao*)
Heard El Dorado 25/3. Would have been nice but ..
3. Great Tinaou (*Tinamus major*)
Heard only
4. Little Tinamou (*Crypturellus soui*)
Heard only
5. Brown Tinamou (*Crypturellus obsoletus*)
Heard Ch 26/2. Would have been nice but ...
6. Northern Screamer (*Chauna chavaria*)
This rare species easily seen (up to 6) along the Puerto Pinzan – El Paujil road 13 and 16/3
7. White-faced Whistling-Duck (*Dendrocygna viduata*)
8. Black-bellied Whistling-Duck (*Dendrocygna autumnalis*)
9. Blue-winged Teal (*Anas discors*)
10. Andean Teal (*Anas andium*)
11. Andean Duck (*Oxyura ferruginea*)
12. Ruddy Duck (*Oxyura jamaicensis*)
13. Torrent Duck (*Merganetta armata*)
A nice pair LS 9/3. *Ssp colombiana*
14. Chestnut-winged Chachalaca (*Ortalis garrula*) (E)
Several west of Rodadero 20/3
15. Rufous-vented Chachalaca (*Ortalis ruficauda*)
Several LF 21/3

16. Colombian Chachalaca (*Ortalis colombiana*) (E)
Regularly encountered
17. Cauca Guan (*Penelope perspicax*) (E)
Around 6 of this range restricted endemic LS 9/3
18. Band-tailed Guan (*Penelope argyrotis*)
SL 23 and 24/3
19. Andean Guan (*Penelope montagnii*)
20. **Wattled Guan** (*Alburria aburri*)
Heard AA 4/3 and 5/3 and 2 seen by some on 4/3. Electrifying views of an adult by the roadside 5/3. An elusive Andean special ranging from Colombia to Peru
21. Sickle-winged Guan (*Chamaepetes goudotti*)
AA, YE and SL
22. **Blue-billed Curassow** (*Crax alberti*) (E)
A single habituated female coming for food P 14/3. An easy way to see this endangered endemic. Several males and females in captivity at the same site
23. Crested Bobwhite (*Colinus cristatus*)
S 22/2 and LF 21/3
24. **Black-fronted Wood-Quail** (*Odontophorus atrifrons*)
2 birds at the El Dorado feeder 21/3 and 5 at the compost heap 23/3. Almost a Colombian endemic ranging into western Venezuela where it is rarely recorded
25. **Chestnut Wood-Quail** (*Odontophorus hyperythrus*) (E)
A pair coming to the feeder early morning at AA 5/3. Heard elsewhere.
26. Gorgetted Wood-Quail (*Odontophorus strophium*) (E)
Only heard CW 17/3 and no sign at the feeder. Would have been nice but
27. American Flamingo (*Phoenicopterus ruber*)
28. Magnificent Frigatebird (*Fregata magnificens*)
29. Neotropic Cormorant (*Phalacrocorax brasilianus*)
30. Anhinga (*Anhinga anhinga*)
31. Cooi Heron (*Ardea cocoi*)
32. Great Egret (*Ardea alba*)
33. Reddish Egret (*Egretta rufescens*)
34. Tricolored Heron (*Egretta tricolor*)
35. Little Blue Heron (*Egretta caerulea*)
36. Snowy Egret (*Egretta thula*)
37. Western Cattle Egret (*Bubulcus ibis*)
38. Striated Heron (*Butorides striata*)
39. Black-crowned Night-Heron (*Nycticorax nycticorax*)
40. Rufescent Tiger-Heron (*Tigrisome lineatum*)
41. Green Ibis (*Mesembrinibus cayennensis*)
1 P 14/3
42. Bare-faced Ibis (*Phimosus infuscatus*)
43. White Ibis (*Eudocimus albus*)
44. Scarlet Ibis (*Eudocimus ruber*)
45. Roseate Spoonbill (*Platalea ajaja*)
46. Black Vulture (*Coragyps atratus*)
47. Turkey Vulture (*Cathartes aura*)
48. Lesser Yellow-headed Vulture (*Cathartes burrovianus*)

49. King Vulture (*Sarcoramphus papa*)
Killer views of 2 adults and 2 young at a dead cow on the El Paujil – Puerto Rincan road
16 /3
50. White-tailed Kite (*Elanis leucurus*)
51. Pearl Kite (*Gampsonux swainsonii*)
52. Plumbeous Kite (*Ictinia plumbea*)
53. Plain-breasted Hawk (*Accipiter ventralis*)
SL
54. Savanna Hawk (*Bureogallus meridionalis*)
55. Harris' Hawk (*Parabuteo unicinctus*)
56. Roadside Hawk (*Rupornis magnirostris*)
57. Gray-lined Hawk (*Buteo nitida*)
58. Broad-winged Hawk (*Buteo platyperus*)
59. Short-tailed Hawk (*Buteo brachyurus*)
60. Zone-tailed Hawk (*Buteo albonotatus*)
1 Santa Marta 26/3
61. Black-chested Buzzard-Eagle (*Geranaoetus malanoleucus*)
Up to 5 Los Nevados NP 11/3
62. Black Hawk-Eagle (*Spizaetus tyrannus*)
1 RC 2/3, 2 P 14/3
63. Russet-crowned Crake (*Amaurolimnas viridis*)
Heard P 14/3 and CW 17/3. One day ...
64. White-throated Crake (*Laterallus albigularis*)
3 responsive birds Puerto Pinzan – El Paujil 13/3
65. Bogota Rail (*Rallus semiplumbeus*)
F 2 21/2. Near endemic
66. Gray-necked Wood-Rail (*Aramides cajanea*)
67. Blackish Rail (*Pardirallus nigricans*)
3 responsive birds S 21/2
68. Purple Gallinule (*Porphyrio martinica*)
69. Common Gallinule (*Gallinula galeata*)
70. Spot-flanked Gallinule (*Gallinula melanops*)
71. American Coot (*Fulica americana*)
72. Southern Lapwing (*Vanellus chilensis*)
73. Black-necked Stilt (*Himantopus mexicanus*)
74. Double-striped Thick-Knee (*Burhinus bistriatus*)
3 at Castro Vientos en route to Rodadero 20/3
75. Noble Snipe (*Gallinago nobilis*)
3 Lagunas de Siecha 25/2
76. Greater Yellowlegs (*Tringa melanoleuca*)
77. Lesser Yellowlegs (*Tringa flavipes*)
78. Solitary Sandpiper (*Tringa solitaria*)
79. Spotted Sandpiper (*Actitis macularia*)
80. Least Sandpiper (*Calidris minutilla*)

81. Wattled Jacana (*Jacana jacana*)
The all dark ssp *hypomeleona*
82. Lesser Black-backed Gull (*Larus fuscus*)*
An adult at LF 22/3. New for SA for HB
83. American Herring Gull (*Larus smithsonicus*)
84. Laughing Gull (*Lecophaeus atricilla*)
85. Gull-billed Tern (*Gelochelidon nilotica*)
86. Royal Tern (*Thalasseus maximus*)
87. Cabot's Tern (*Thalasseus acuflavidus*)
88. Large-billed Tern (*Phaetusa simplex*)
89. Yellow-billed Tern (*Sternula sperciliaris*)
90. Black Skimmer (*Rynchops niger*)
91. Scaled Pigeon (*Patagioenas speciosa*)
1 La Ye 26/3
92. Bare-eyed Pigeon (*Patagioenas corensis*)
LF 20 and 21/3
93. Band-tailed Pigeon (*Patagioenas fasciata*)
94. Pale-vented Pigeon (*Patagioenas cayannensis*)
95. Ruddy Pigeon (*Patagioenas subvinacea*)
96. Eared Dove (*Zenaida auriculata*)
97. Common Ground-Dove (*Columbina passerina*)
98. Ruddy Ground-Dove (*Columbina talpacoti*)
99. Scaled Dove (*Columbina squammata*)
100. White-tipped Dove (*Leptotila verreauxi*)
101. Tolima Dove (*Leptotila conoveri*) (E)
Heard only. 2 at L 12/3
102. Lined Quail-Dove (*Geotrygon frenata*)
An aggressive pair at the RC feeder 17/3. Usually welcome but they perhaps contributed to the no show of Forgotten Wood-Quail
103. Dwarf Cuckoo (*Coccyzus pumilus*)
An amorous pair at V 13/3
104. Squirrel Cuckoo (*Piaya cayana*)
105. Greater Ani (*Crotophaga major*)
106. Groove-billed Ani (*Crotophaga sulcirostris*)
107. Smooth-billed Ani (*Crotophaga ani*)
108. Striped Cuckoo (*Tapera naevia*)
A noisy pair S 22/2. Heard elsewhere
109. Tropical Screech-Owl (*Megascops choliba*)
A noisy and nonchalant bird at the P Lodge 13 – 15/3
110. **Santa Marta Screech-Owl** (*Megascops sp.nova*) (E)
Close looks at an individual of this newly described endemic near El Dorado 21/3
111. **Colombian Screech-Owl** (*Megascops colombianus*)
Excellent prolonged views of a single pre-dawn LS 9/3. Restricted to Colombia and North Ecuador
112. **White-throated Screech-Owl** (*Megascops albobularis*)
A fine pair at dusk RB 10/3

113. Mottled Owl (*Strix virgata*)
Heard only
114. Rufous-banded Owl (*Strix albitarsus*)
Only a brief distant call at AA 3/3. Would have been nice but
115. Andean Pygmy-Owl (*Glaucidium jardiinii*)
1 above S 22/2
116. Cloud-forest Pygmy-Owl (*Glaucidium nubicola*)
Heard only LT 6/3
117. Common Parauque (*Nyctidromas albicollis*)
118. Band-winged Nightjar (*Sustellura longirostris*)
119. Chestnut-collared Swift (*Streptoprocne rutila*)
120. White-collared Swift (*Streptoprocne zonaris*)
121. Band-rumped Swift (*Chaetura spinicaudus*)
122. Short-tailed Swift (*Chaetura brachyura*)
123. White-tipped Swift (*Aeronautes montivagus*)
124. Lesser Swallow-tailed Swift (*Panyptila cayennensis*)
125. White-tipped Sicklebill (*Eutoxeres aquila*)
AA 1 4/3
126. Rufous-breasted Hermit (*Glaucis hirsutus*)
127. Band-tailed Barbthroat (*Threnetes ruckeri*)
128. Stripe-throated Hermit (*Phaethornis striigularis*)
129. Pale-bellied Hermit (*Phaethornis anthophilus*)
130. Green Hermit (*Phaethornis guy*)
131. Tawny-bellied Hermit (*Phaethornis syrmatophorus*)
132. Long-billed Hermit (*Phaethornis longirostris*)
133. Green-fronted Lancebill (*Doryfera ludovicae*)
134. **Lazuline Sabrewing** (*Campylopterus phainopeplus*)
A single male R 21/2 gave excellent perched views
135. White-necked Jacobin (*Florisuga mellivora*)
136. Brown Violetear (*Colibri delphinae*)
137. Green Violetear (*Colibri thalassinus*)
138. Sparkling Violetear (*Colibri coruscans*)
139. Black-throated Mango (*Anthrocothorax nigricollis*)
140. Violet-headed Hummingbird (*Klais guimeti*)
141. Western Emerald (*Chlorostilbon melanorhynchus*)
142. Red-billed Emerald (*Chlorostilbon gibsoni*)
143. **Coppery Emerald** (*Chlorostilbon russatus*)
After a lot of searching, conclusive views of a female feeding atop a flowering Eucalyptus at the last gasp at La Ye 26/2. Virtually a Colombian endemic just getting into far western Venezuela
144. Short-tailed Emerald (*Chlorostilbonpoortmani*)
145. Crowned Woodnymph (*Thalurania colombica*)
146. Shining-green Hummingbird (*Lepidopyga goudoti*)
147. Buffy Hummingbird (*Leucippus fallax*)
148. Rufous-tailed Hummingbird (*Amaziila tzacati*)
149. **Chestnut-bellied Hummingbird** (*Amazilia castaneiventris*) (E)
2 individual males S 22 and 23/3. A very range restricted Colombian endemic

150. Andean Emerald (*Amazilia franciae*)
151. Blue-chested Hummingbird (*Amazilia amabili*)
152. Steely-vented Hummingbird (*Amazilia saucerottei*)
153. **Indigo-capped Hummingbird** (*Amazilia cyanifrons*) (E)
Several of this endemic at the RC feeders 17 and 18/3
154. **Green-bellied Hummingbird** (*Amazilia viridigaster*)
A male above Monterrerrondo 24/2. Restricted to Colombia and western Venezuela
155. **Blossomcrown** (*Anthrocephala floriceps*) (E)
Males of this much wanted endemic SL 21 and 23/3. Excellent prolonged study of a closely feeding male at Palo Alto 23/3
156. White-vented Plumeleteer (*Chalybura buffoni*)
157. Speckled Hummingbird (*Adelomyia melanogenys*)
158. Fawn-breasted Brilliant (*Heliodoxa rubinoides*)
159. Empress Brilliant (*Heliodoxa imperatrix*)
Several at the LT feeders 6/3
160. Green-crowned Brilliant (*Heliodoxa jacula*)
161. Buff-tailed Coronet (*Boissonneaua flavescens*)
162. Velvet-purple Coronet (*Boissonneaua jardini*)
163. Shining Sunbeam (*Aglaeactis cupripennis*)
164. Mountain Velvetbreast (*Lafresnaya lafresnayi*)
165. Great Sapphirewing (*Pterophanes cyanopterus*)
166. Bronzy Inca (*Coeligena coeligena*)
167. Brown Inca (*Coeligena wilsoni*)
A single at LT6/3
168. Black Inca (*Coeligena prunellei*) (E)
2 at R 21/2 and several at the RC feeders 17 and 18/3
169. Collared Inca (*Coeligena torquata*)
170. White-tailed Starfrontlet (*Coeligena phalerata*) (E)
Several at SL and El Dorado 21 – 25/3
171. Blue-throated Starfrontlet (*Coeligena helianthea*)
2 Chinganza NP 25/2. Almost a Colombian endemic again only just extending into far western Venezuela
172. **Golden-bellied Starfrontlet** (*Coeligena bonapartei*)
A pair at the upper Chicaque NP feeders 26/2
173. **Dusky Starfrontlet** (*Coeligena orina*) (E)
A superb male at the feeders by the SF lodge 28/2. More for RJ at Colibri del Sol the same day. A recently re-discovered, range restricted and threatened Colombian endemic
174. Sword-billed Hummingbird (*Ensifera ensifera*)
175. Tourmaline Sunangel (*Heliangelus exortis*)
176. Longeumare's Sunangel (*Heliangelus (clarissae) amethysticollis*)
177. Glowing Puffleg (*Eriocnemis vestita*)
178. Coppery-bellied Puffleg (*Eriocnemis cupreiventris*)
Chinganza NP only
179. Golden-breasted Puffleg (*Eriocnemis mosquera*)
Los Nevados NP only
180. Greenish Puffleg (*Haplaphaedia aureliae*)

181. Purple-bibbed Whitetip (*Urosticta benjamini*)
182. Booted Racket-tail (*Ocreatus underwoodii*)
183. Tyrian Metaltail (*Metallura tyrianthina*)
184. Santa Marta Metaltail (*Metallura (districta) tyrianthina*)
Replacing 183. at SL and common there
185. Viridian Metaltail (*Metallura williami*)
186. Bronze-tailed Thornbill (*Chalcostigma heteropogon*)
Paramo Susacon 23/3 ans Chingaza NP 25/3. Males each time. Again virtually a Colombian endemic
187. Black-tailed Trainbearer (*Lesbia victoriae*)
188. **Green-throated Helmetcrest** (*Oxyptogon guerini*) (E)
Chingaza NP 25/3 a male of the newly split ssp *guerinni*.
189. **Buffy Helmetcrest** (*Oxyptogon stuebelli*) (E)
Los Nevados NP 11/3 a male of ssp *stuebelli* now considered split by IOC who now recognize 4 species
190. Long-tailed Sylph (*Agaliocercus kingi*)
191. Violet-tailed Sylph (*Agaliocercus coelestis*)
192. Long-billed Starthroat (*Heliomaster longirostris*)
193. Purple-throated Woodstar (*Callophiox mitchelli*)
At the AA feeders 4 and 5/3
194. Gorgetted Woodstar (*Chaetocercus heliodor*)
195. White-bellied Woodstar (*Chaetocercus mulsant*)
196. White-tailed Trogon (*Trogon chionurus*)
197. Gartered Trogon (*Trogon caligatus*)
198. Collared Trogon (*Trogon collaris*)
199. Masked Trogon (*Trogon personatus*)
200. Crested Quetzal (*Pharomarchus antisianus*)
LT 2 on 6/3
201. Golden-headed Quetzal (*Pharomarchus auriceps*)
LT a male on 6/3
202. White-tipped Quetzal (*Pharomarchus fulgidus*)
SL 3 on 22/3
203. Ringed Kingfisher (*Megaceryle torquatus*)
204. Amazon Kingfisher (*Chloroceryle amazona*)
205. Green Kingfisher (*Chloroceryle americana*)
206. Andean Motmot (*Momotus aequatorialis*)
207. Whooping Motmot (*Momotus subrufescens*)
208. Rufous-tailed Jacamar (*Galbula ruficaudata*)
209. White-necked Puffbird (*Notharcus hyperhynchus*)
210. Pied Puffbird (*Notharcus tectus*)
211. Barred Puffbird (*Nystalus radiatus*)
212. Russet-throated Puffbird (*Hypnelus ruficollis*)
213. Moustached Puffbird (*Malacoptila myastacalis*)
214. White-whiskered Puffbird (*Malacoptila panamensis*)
215. Lanceolated Monklet (*Micromonacha lanceolata*)
AA a pair 4/3

216. White-mantled barbet (*Capito hypoleucos*) (E)
RC 3 on 1/3, 1 on 2/3, LV 1 on 13/3
217. Toucan Barbet (*Semnornis ramphastinus*)
LT a duetting pair 6/3
218. Keel-billed Toucan (*Ramphastos sulfuratus*)
SL only
219. Citron-throated Toucan (*Ramphastos citreolamus*)
P only
220. Santa Marta Toucanet (*Aulacorhynchus lautus*) (E)
SL only
221. Gray-throated Toucanet (*Aulacorhynchus griseogularis*)
222. White-throated Toucanet (*Aulacorhynchus albivitta*)
223. Crimson-rumped Toucanet (*Aulacorhynchus haematopygus*)
224. Collared Aracari (*Pteroglossus torquatus*)
225. Chestnut-Piculet (*Picumnus cinnamomeus*)
LF 20/3 and 21/3
226. Grayish Piculet (*Picumnus granadensis*) (E)
B 27/2 and 7/3
227. Olivaceous Piculet (*Picumnus olivaceus*)
228. Acorn Woodpecker (*Melanerpes formicivorus*)
229. Beautiful Woodpecker (*Melanerpes pulcher*) (E)
P a pair at the Lodge 15/3
230. Red-crowned Woodpecker (*Melanerpes rubricapillus*)
231. Smoky-brown Woodpecker (*Picoides fumigatus*)
232. Red-rumped Woodpecker (*Veniliornis kirkii*)
233. Yellow-vented Woodpecker (*Veniliornis dingus*)
LT brief views of one 6/3
234. Crimson-mantled Woodpecker (*Colaptes rivoli*)
235. Golden-olive Woodpecker (*Colaptes rubiginosus*)
236. Spot-breasted Woodpecker (*Colaptes punctigula*)
237. Cinnamon Woodpecker (*Celeus loricatus*)
238. Crimson-crested Woodpecker (*Campephilus melanoleucos*)
239. Lineated Woodpecker (*Campephilus lineatus*)
240. **Powerful Woodpecker** (*Campephilus pollens*)
S heard 22/2, SF a calling bird flew over on our horse ride 28/3, LA M 1 on 7/3 but mist hampered the view
241. Northern Crested Caracara (*Caracara cheriway*)
242. Yellow-headed Caracara (*Milvago chimachima*)
243. Laughing Falcon (*Herpetotheres cochinnans*)
244. American Kestrel (*Falco sparverius*)
245. Bat falcon (*Falco ruficularis*)
246. Blue-and-yellow Macaw (*Ara ararouna*)
Heard only
247. Chestnut-fronted Macaw (*Ara severus*)
248. Scarlet-fronted Parakeet (*Psittacora wagleri*)
249. Brown-throated Parakeet (*Eupsittula pertinax*)

250. Golden-plumed Parakeet (*Leptosittaca branickii*)
This endangered species was noisy and conspicuous at LS 9/3 and RB 10/3
251. **Flame-winged Parakeet** (*Pyrrhura calliptera*) (E)
Scope views of 15 or so early morning at M 24/2. Another endangered endemic
252. Santa Marta Parakeet (*Pyrrhura viridicata*) (E)
Noisy and conspicuous SL 22/3. 30+ birds
253. Green-rumped Parrotlet (*Forpus passerinus*)
254. Spectacled Parrotlet (*Forpus conspicillatus*)
255. Orange-chinned Parakeet (*Brotogeris jugularis*)
256. **Rusty-faced Parrot** (*Hpalopsittaca amazonina*)
S a single high flying, calling bird 22/2 gave hopes of more but only distant heards after that
257. **Yellow-eared Parrot** (*Ognorhynchus icterotis*) (E)
Heard at LT 6/3, around 15 giving close perched and flight views YE 8/3. Now endemic to Colombia following extirpation in Ecuador and Venezuela with only a few hundred left. Gradually increasing with conservation especially of its wax palm habitat
258. Blue-headed Parrot (*Pionus menstruus*)
259. Bronze-winged Parrot (*Pionus chalcopterus*)
260. Orange-winged Amazon (*Amazona amazonica*)
261. Red-lored Amazon (*Amazona autumnalis*)
P 2 14/3
262. Scaly-naped Amazon (*Amazona mercenaria*)
263. Yellow-crowned Amazon (*Amazona ochrocephala*)
264. Black-crested Antshrike (*Sakesphorus canadensis*)
265. Bar-crested Antshrike (*Thamnophilus multistriatus*)
266. Barred Antshrike (*Thamnophilus doliatus*)
267. Black Antshrike (*Thamnophilus nigriceps*)
268. Black-backed Antshrike (*Thamnophilus melanonotus*)
269. Uniform Antshrike (*Thamnophilus unicolor*)
270. Western Slaty Antshrike (*Thamnophilus atrinucha*)
271. **Recurve-billed Bushbird** (*Clytoctantes alixii*)
Dynamite views of a pair attacking young bamboo BR 19/3. Almost endemic to Colombia, only just getting into far western Venezuela. Bird of the Trip for me and others
272. Plain Antwren (*Dysithamnus mentalis*)
273. Pacific Antwren (*Myrmotherula pacifica*)
274. Slaty Antwren (*Myrmotherula longipennis*)
275. Northern White-fringed Antwren (*Formicivora intermedia*)
276. East Andean Antbird (*Drymophila caudata*) (E)
Heard only
277. Klage's Antbird (*Drymophila klagesi*)
278. Santa Marta Antbird (*Drymophila hellamayri*) (E)
279. Jet Antbird (*Cercomacra nigricans*)
280. **Parker's Antbird** (*Cercomacra parkeri*) (E)
AA a responsive pair 4/3
281. Chestnut-backed Antbird (*Myrmeciza exsul*)

282. Magdalena Antbird (*Myrmeciza palliate*) (E)
La M 1 on 7/3. Near endemic
283. White-bellied Antbird (*Myrmeciza longipes*)
284. **Chestnut-crowned Gnateater** (*Conopophaga castaneiceps*)
AA a nice responsive male 4/3
285. Chestnut-crowned Antpitta (*Grallaria ruficapilla*)
286. Bicolored Antpitta (*Grallaria rufocinerea*)
RB heard only
287. Brown-banded Antpitta (*Grallaria milleri*) (E)
Easy at 3 feeders at RB 10/3
288. Chestnut-naped Antpitta (*Grallaria nuchalis*)
Heard YE 8/3 and RB 10/3 but could not be induced into view. Would have been nice but ...
289. **Cundinamarca Antpitta** (*Grallaria kaestneri*) (E)
M easily heard but only badly glimpsed 24/2. One gave a very brief close view but to RJ and LE only
290. Moustached Antpitta (*Grallaria allani*)
YE and RB. Heard only
291. Rufous Antpitta (*Grallaria rufula rufula*)
292. Santa Marta Rufous Antpitta (*Grallaria rufula spatiator*) (E)
293. Santa Marta Antpitta (*Grallaria bangsi*) (E)
A single at the El Dorado compost heap 23/3
294. Undulated Antpitta (*Grallaria squamigera*)
RB poor views of 1 on 10/3, a possible on the road to Los Nevados at dawn 11/3. As usual easy by voice
295. **Urrao Antpitta** (*Grallaria fenwicki*) (E)
This newly described species was easy at SF 28/2 with two habituated birds giving point blank views at the Lodge feeder
296. White-bellied Antpitta (*Grallaria hypoleuca*)
CW 16/3 heard several times but only a rotten semi glimpse of something. Would have been nice but ...
297. Yellow-breasted Antpitta (*Grallaria flavotincta*)
LT 6/3 easily heard but none could be induced into view
298. Ash-colored Tapaculo (*Myornis senilis*)
299. **"Alto Pisones" Tapaculo** (*Scytalopus sp novum*) (E)
Not yet described. A rather poor view of a calling bird LT 6/3
300. Blackish Tapaculo (*Scytalopus latrans*)
301. Brown-rumped Tapaculo (*Scytalopus latebricola*) (E)
Seen by some LR 24/3
302. Narino Tapaculo (*Scytalopus viciniior*)
Heard only
303. Pale-bellied Tapaculo (*Scytalopus griseicollis*)
304. Paramillo Tapaculo (*Scytalopus canus*) (E)
Heard by RJ at Colibri del Sol 28/2
305. Paramo Tapaculo (*Scytalopus opacus*)
306. Santa Marta Tapaculo (*Scytalopus sanctaemartae*) (E)

307. Spillman's Tapaculo (*Scytalopus spillmani*)
308. **Stiles' Tapaculo** (*Scytalopus stilesi*) (E)
Excellent views LR 27/2 and AA 4/3
309. Upper Magdalena Tapaculo (*Scytalopus rodriguezi*) (E)
Frustratingly heard only RC 16/3 although seen by others. Would have been nice but
...
310. Plain-brown Woodcreeper (*Dendrocincla fuliginosa*)
311. Tyrannine Woodcreeper (*Dendrocincla tyrannina*)
312. Wedge-billed Woodcreeper (*Glyphorhynchus spirurus*)
313. Strong-billed Woodcreeper (*Xiphocolaptes promeropirhynchus*)
314. Straight-billed Woodcreeper (*Dendroplex picus*)
315. Cocoa Woodcreeper (*Xiphorhynchus susurrans*)
316. Olive-backed Woodcreeper (*Xiphorhynchus triangularis*)
317. Montane Woodcreeper (*Lepidocolaptes lacrymiger*)
318. Streak-headed Woodcreeper (*Lepidocolaptes souleyetti*)
319. Brown-billed Scythebill (*Campylorhamphus pusillus*)
Ch a responsive individual 26/2
320. Plain Xenops (*Xenops minutus*)
321. Spotted Barbtail (*Premnoplex brunnescens*)
LS a single 9/3
322. Caribbean (Pale-legged) Hornero (*Furnarius leucopus*)
323. Stout-billed Cinclodes (*Cinclodes excelsior*)
Los Nevados a pair 11/3
324. Lineated Foilage-Gleaner (*Syndactyla subalaris*)
Heard only
325. Montane Foilage-Gleaner (*Anabacerthia striaticollis*)
326. Scaly-throated Foilage-Gleaner (*Anabacerthia variegaticeps*)
327. Flammulated Treehunter (*Thripactes ignobilis*)
SL 1 on 22/3
328. **Uniform Treehunter** (*Thripadectes ignobilis*)
Good views of a single of this Choco endemic LT 6/3
329. Ruddy Foilage-Gleaner (*Automolus rubiginosus*)
330. Santa Marta Foilage-Gleaner (*Automolus rufipectes*) (E)
Replaces 328 in the Santa Marta Mountains
331. Pearled Treerunner (*Margarornis squamiger*)
332. Star-chested Treerunner (*Margarornis stellatus*)
LT a couple 6/3
333. Streaked Tuftedcheek (*Pseudocolaptes boissonneautii*)
334. Andean Tit-Spintail (*Leptasthenura andicola*)
335. White-browed Spintail (*Hellmayrea gularis*)
336. Many-striped Canastero (*Asthenes flammulata*)
Los Nevados 11/3 the very rusty-headed ssp *quindiana*?
337. White-chinned Thistletail (*Asthenes fuliginosa*)
338. Red-faced Spintail (*Cranioleuca erythrops*)
339. Streaked-capped Spintail (*Cranioleuca hellmayri*) (E)
SL 22/3
340. Yellow-chinned Spintail (*Certhiolaxis cinnamomea*)

341. Azara's Spinetail (*Synallaxis subpudica*)
342. Pale-breasted Spinetail (*Synallaxis albescens*)
343. Stripe-breasted Spinetail (*Synallaxis cinammomea*)
344. Silvery-throated Spinetail (*Synallaxis subpudica*) (E)
Eastern Andes only
345. Slaty Spinetail (*Synallaxis brachyuran*)
346. Rusty-headed Spinetail (*Synnalaxis fuscorufa*) (E)
SL only
347. White-whiskered Spinetail (*Synallaxis candei*)
LF
348. Black-capped Tyrannulet (*Phyllomyias nigrocapillus*)
349. Sooty-headed Tyrannulet (*Phyllomyias griseiceps*)
350. Yellow-crowned Tyrannulet (*Tyrannulus elatus*)
351. Greenish Elaenia (*Myiopagis viridicata*)
352. Mountain Elaenia (*Elaenia frantzii*)
353. Sierran Elaenia (*Elaenia pallatangae*)
354. Yellow-bellied Elaenia (*Elaenia flavogaster*)
355. Brown-capped Tyrannulat (*Ornithion brunneicapillus*)
356. Southern Beardless Tyrannulet (*Campostoma obsoletum*)
357. White-banded Tyrannulet (*Mecocerculus sticopterus*)
358. White-throated Tyrannulet (*Mecocerculus leucophrys*)
359. Torrent Tyrannulet (*Serpophaga cinerea*)
360. Mouse-colored Tyrannulet (*Phaeomyias murina*)
361. Yellow Tyrannulet (*Campsiempis flaveola*)
362. **Subtropical Doradito** (*Pseudocoloteryx acutipennis*)
LF a nice pair 21/2
363. Specious (Venezuelan) Tyrannulet (*Zimmerius improbus*)
SL 21/3 and 24/3
364. **Choco Tyrannulet** (*Zimmerius albigularis*)
LT 6/3. A recent split from 364
365. Golden-faced Tyrannulet (*Zimmerius chrysops*)
366. Antioquia Bristle-Tyrant (*Pogonotriccus lanyoni*) (E)
RC a vocal individual 2/3
367. Ochre-bellied Flycatcher (*Mionectes oleaginous*)
368. Olive-striped Flycatcher (*Mionectes olivaceus*)
369. Streak-necked Flycatcher (*Mionectes striaticollis*)
370. Sepia-capped Flycatcher (*Leptopogon superciliaris*)
371. Slaty-capped Flycatcher (*Leptopogon amaurocephalus*)
372. Northern Scrub-Flycatcher (*Sublegatus arenarum*)
373. Slender-billed Inezia (*Inezia tenuirostris*)
374. Ornate Flycatcher (*Myiotriccus ornatus*)
375. Southern Bentbill (*Oncostoma olivaceum*)
376. Scale-crested Pygmy-Tyrant (*Lophotriccus pileatus*)
377. Pale-eyed Pygmy-Tyrant (*Atalotriccus pilaris*)
378. Pearly-vented Tody-Tyrant (*Hemitriccus margaritaceiventer*)
379. Rufous-crowned Tody-Tyrant (*Poecilotriccus ruficeps*)
380. Slate-headed Tody-Flycatcher (*Poecilotriccus sylvia*)

381. Bronze-olive Pygmy-Tyrant (*Pseudotriccus pelzeni*)
LT 1 on 6/3
382. Rufous-headed Pygmy-Tyrant (*Pseudotriccus ruficeps*)
383. Black-headed Tody-Flycatcher (*Todirostrum nigriceps*)
384. Common Tody-Flycatcher (*Todirostrum cinereum*)
385. Olivaceous Flatbill (*Rhynchocyclus olivaceus*)
386. Yellow-oliveTolmomyias (*Tolmomyias sulphurescens*)
387. Handsome Flycatcher (*Myiophobus pulcher*)
388. Cinnamon Flycatcher (*Pyrrhomyias cinnamomeus*)
389. Black-billed Flycatcher (*Aphanotriccus audax*)
P 1 on 14/3
390. Olive-sided Flycatcher (*Contopus cooperi*)
391. Smoke-colored Pewee (*Contopus fumigatus*)
392. Wood Pewee sp (*Contopus virens* or *sordidus*)
393. Black Phoebe (*Sayornis nigricans*)
394. Vermilion Flycatcher (*Pyrocephalus rubinus*)
395. **Santa Marta Bush-Tyrant** (*Myiotheretes pernix*) (E)
SL a nice pair 22/3
396. Smoky Bush-Tyrant (*Myiotheretes fumigatus*)
397. Streak-throated Bush-Tyrant (*Myiotheretes striaticollis*)
398. Pied Water-Tyrant (*Fluvicola pica*)
399. White-headed Marsh-Tyrant (*Arundinicola leucocephala*)
400. Brown-backed Chat-Tyrant (*Octhoeca fumicolor*)
401. Slaty-backed Chat-Tyrant (*Octhoeca cinnamomeiventris*)
402. Yellow-Bellied Chat-Tyrant (*Octhoeca diadema*)
403. Long-tailed Tyrant (*Colonia colonus*)
404. Cattle Tyrant (*Machetornis rixosa*)
405. Piratic Flycatcher (*Legatus leucophalus*)
406. Great Kiskadee (*Pitangus sulphuratus*)
407. Golden-crowned Flycatcher (*Myiodynastes chrysocephalus*)
408. Streaked Flycatcher (*Myiodnastes maculatus*)
409. Boat-billed Flycatcher (*Megarhynchus pitangua*)
410. Fork-tailed Flycatcher (*Tyrannus savanna*)
411. Tropical Kingbird (*Tyrannus melancholis*)
412. Apical Flycatcher (*Myiarchus apicalis*) (E)
S and B
413. Brown-crested Flycatcher (*Myiarchus tyrannulus*)
414. Dusky-capped Flycatcher (*Myiarchus tuberculifer*)
415. Pale-edged Flycatcher (*Myiarchus cephalotes*)
416. Panama Flycatcher (*Myiarchus panamensis*)
417. Red-crested Cotinga (*Ampelion rubrocristatus*)
418. Barred Fruiteater (*Pipreola arcuata*)
LA M 2 7/3
419. Green-and-black Fruiteater (*Pipreola riefferii*)
420. Golden-breasted Fruiteater (*Pipreola aureopectus*)

421. **Orange-breasted Fruiteater** (*Pipreola jucunda*)
LT 6/3 a nice male of this range restricted Choco endemic
422. **Chestnut-capped Piha** (*Lipaugus weberi*) (E)
AA 4/3 two nice sightings on this newly described endemic
423. Olivaceous Piha (*Snowornis cryptolophus*)
LT 1 on 6/3
424. Red-ruffed Fruitcrow (*Pryoderus scutatus*)
425. **Yellow-headed Manakin** (*Chloropipo flavicapilla*)
LR 27/2 an excellent close male. L 12/3 a glimpse for some of another. A near endemic only just getting into western Venezuela but rarely seen there
426. Golden-winged Manakin (*Masius chrysopterus*)
Individuals at LT and CR
427. Western Striped Manakin (*Machaeropterus striolatus*)
428. White-bearded Manakin (*Manachus manacus*)
429. Golden-headed Manakin (*Pipra erythrocephala*)
430. Lance-tailed Manakin (*CChiroxipha lanceolata*)
431. Wing-barred Piprites (*Piprites chloris*)
A responsive pair at RC 2/3
432. Black-crowned Tityra (*Tityra inquisitor*)
433. Masked Tityra (*Tityra semifasciata*)
434. **Rufous-winged Schiffornis** (*Schiffornis stenorhyncha*)
P a responsive but difficult to pin down individual 15/3. Part of a recent multiple split of this species
435. Barred Becard (*Pachyramphus versicolor*)
436. Black-and-white Becard (*Pachyramphus albogriseus*)
Heard only
437. Cinnamon Becard (*Pachyramphus cinnamomeus*)
438. Cinereous Becard (*Pachyramphus rufus*)
439. One-colored Becard (*Pachyramphus homochrous*)
440. Black-billed Peppershrike (*Cychlaris nigrirostris*)
441. Rufous-browed Peppershrike (*Cychlaris gujanensis*)
442. **Yellow-browed Shrike-Vireo** (*Vireolanius eximius*)
CR a lovely responsive pair of this range restricted bird on our exit 18/3
443. Brown-capped Vireo (*Vireo leucophrys*)
444. Chive / Red-eyed Vireo (*Vireo chivi / olivaceus*)
445. **Choco Vireo** (*Vireo masteri*)
LT at least 4 on 6/3. A very range restricted Choco endemic
446. Scrub Greenlet (*Hylophilus flavipes*)
447. Rufous-naped Greenlet (*Hylophilus semibrunneus*)
448. Beautiful Jay (*Cyanolyca pulchra*)
Heard only
449. Black-collared Jay (*Cyanolyca armillata*)
450. Black-chested Jay (*Cyanocorax affinis*)
451. Inca Jay (*Cyanocorax yncas*)
452. White-winged Swallow (*Tachycineta albiventer*)
453. Brown-chested Martin (*Progne tapera*)
454. Gray-breasted Martin (*Progne chalybea*)

- 455. Blue-and-white Swallow (*Pygochelidon cyanoleuca*)
- 456. Brown-bellied Swallow (*Notochelidon tibialis*)
- 457. Pale-footed Swallow (*Orochelidon flavipes*)
LA M up to 5 and apparently breeding 7/3 seem out of range
- 458. Southern Rough-winged Swallow (*Stelgodopteryx ruficollis*)
- 459. Barn Swallow (*Hirundo rustica*)
- 460. Cliff Swallow (*Hirundo pyrrhonota*)
- 461. Southern Nightingale Wren (*Microcerculus marginatus*)
Heard only
- 462. Southern House Wren (*Troglodytes musculus*)
- 463. Mountain Wren (*Troglodytes solstitialis*)
Los Nevados 2 11/3
- 464. Apolinar's Wren (*Cistothorus apolinari*) (E)
LF 1 on 21/2
- 465. Sedge Wren (*Cistothorus platensis*)
- 466. Band-backed Wren (*Campylorhynchus zonatus*)
- 467. Bicolored Wren (*Campylorhynchus griseus*)
- 468. White-headed Wren (*Campylorhynchus albobrunneus*)
- 469. Bay Wren (*Pheugopedius nigricapillus*)
- 470. Black-bellied Wren (*Pheugopedius fasciatoventris*)
- 471. Rufous-breasted Wren (*Pheugopedius rutilus*)
- 472. Sooty-headed Wren (*Pseugopedius spadix*)
- 473. Speckle-breasted Wren (*Pseugopedius sclateri*)
Heard only
- 474. Whiskered Wren (*Pheugopedius mystacalis*)
- 475. **Antioquia Wren** (*Thryophilus sernai*) (E)
A responsive bird at B 27/2 and 7/3. A range restricted and endangered endemic, only recently described
- 476. **Niceforo's Wren** (*Thryophilus nicefori*) (E)
A pair at S 22/2 and a single at CW 18/3. Another range restricted and endangered endemic
- 477. Rufous-and-white Wren (*Thryophilus rufalbus*)
- 478. Buff-breasted Wren (*Cantorchikus leucotis*)
- 479. Rufous Wren (*Cinnycerthia unirufa*)
- 480. Sharpe's Wren (*Cinnycerthia sharpie*)
- 481. Gray-breasted Wood-Wren (*Henicorhina leucophrys*)
- 482. Munchique Wood-Wren (*Henicorhina negreti*) (E)
LA M 7/3
- 483. White-breasted Wood-Wren (*Henicorhina leucosticte*)
- 484. Chestnut-breasted Wren (*Cyphorhinus thoracicus*)
L S 9/3
- 485. Long-billed Gnatwren (*Ramphocaenus melanurus*)
- 486. Tropical Gnatcatcher (*Polioptila plumbea*)
- 487. Black-capped Donacobius (*Donacobius atricapilla*)
- 488. Tropical Mockingbird (*Mimus gilvus*)
- 489. White-capped Dipper (*Cinclus leucocephalus*)
- 490. Andean Solitaire (*Myadestes ralloides*)

491. **Black Solitaire** (*Entomodestus coracinus*)
 LT 6/3 a vocal bird eventually gave good views to all. An elusive Choco endemic restricted to Colombia and north Ecuador
492. Orange-billed Nightingale-Thrush (*Catharus aurantiirostris*)
493. Slaty-backed Nightingale-Thrush (*Catharus fuscater*)
 At the El Dorado compost heap
494. Swainson's Thrush (*Catharus ustulatus*)
495. Black-billed Thrush (*Turdus ignobilis*)
496. Black-hooded Thrush (*Turdus olivater*)
 BR and SL
497. Chestnut-bellied Thrush (*Turdus fulviventris*)
 BR
498. Great Thrush (*Turdus fuscater*)
499. Pale-breasted Thrush (*Turdus laucomelas*)
500. Pale-eyed Thrush (*Turdus leucops*)
 SL
501. Pale-vented Thrush (*Turdus obsoletus*)
502. White-necked Thrush (*Turdus albicollis*)
503. Yellow-legged Thrush (*Turdus flavipes*)
504. Black-capped Hemispingus (*Hemispingus atropileus*)
505. Black-eared Hemispingus (*Hemispingus melanotis*)
506. Oleaginous Hemispingus (*Hemispingus frontalis*)
507. Superciliated Hemispingus (*Hemispingus superciliaris*)
508. Grey-hooded Bush-Tanager (*Cnemoscopus rubrirostris*)
509. Tawny-crested Tanager (*Tachyphonus delatril*)
510. White-lined Tanager (*Tachyphonus rufus*)
511. White-shouldered Tanager (*Tachyphonus luctuosus*)
512. Crimson-backed Tanager (*Ramphocelus dimidiatus*)
513. Flame-rumped Tanager (*Ramphocelus flammigerus*)
514. Lemon-rumped Tanager (*Ramphocelus icteronotus*)
515. Blue-capped Tanager (*Thraupis cyanocephala*)
516. Blue-gray Tanager (*Thraupis episcopus*)
517. Palm Tanager (*Thraupis palmarum*)
518. **Black-and-gold Tanager** (*Bangsia melanochlamys*) (E)
 AA a distant bird 4/3, LT close views of several 6/3. A much wanted Colombian endemic
519. Gold-ringed Tanager (*Bangsia aureocincta*) (E)
 LT a long wait in the upper bamboo 6/3 only produced a weak call and a glimpse of something. Would have been very nice but ...
520. Black-chested Mountain-Tanager (*Buthraupis eximia*)
521. Hooded Mountain-Tanager (*Buthraupis montana*)
522. Black-chinned Mountain-Tanager (*Anisognathus notabilis*)
523. Blue-winged Mountain-Tanager (*Anisognathus somptuosa*)
524. Lacrimose Mountain-Tanager (*Anisognathus lacrymosus*)

525. Santa Marta Mountain-Tanager (*Anisognathus melanogenys*) (E)
SL 3 on 22/3
526. Scarlet-bellied Mountain-Tanager (*Anisognathus igniventris*)
527. Buff-breasted Mountain-Tanager (*Dubusia taeniata*)
528. Grass-green Tanager (*Chlorornis riefferii*)
529. Purplish-mantled Tanager (*Iridosornis porphyrocephalus*)
AA and LT
530. Fawn-breasted Tanager (*Pipraeidea melanonota*)
531. Glistening-green Tanager (*Chlorochrysa phaenicotis*)
532. Multicolored Tanager (*Chlorochrysa nitidissima*) (E)
AA a pair 4/3
533. Bay-headed Tanager (*Tangara gyrola*)
534. Beryl-spangled Tanager (*Tangara nigroviridis*)
535. Black-capped Tanager (*Tangara heinei*)
536. Black-headed Tanager (*Tangara cyanoptera*)
537. Blue-and-black Tanager (*Tangara vassorii*)
538. Blue-necked Tanager (*Tangara cyanicollis*)
539. Golden Tanager (*Tangara arthus*)
540. Golden-hooded Tanager (*Tangara larvata*)
541. Plain-colored Tanager (*Tangara inornata*)
542. Saffron-crowned Tanager (*Tangara xanthocephala*)
543. Scub Tanager (*Tanager vitriolina*)
544. Speckled Tanager (*Tangara guttata*)
545. Swallow Tanager (*Tersina viridis*)
546. Black Flowerpiercer (*Diglossa humeralis*)
547. Black-throated Flowerpiercer (*Diglossa brunneiventris*)
Seen and photographed by RJ at Colibri del Sol 28/2
548. Bluish Flowerpiercer (*Diglossa caerulescens*)
549. **Chestnut-bellied Flowerpiercer** (*Diglossa gloriosissima*) (E)
Seen and photographed by RJ at Colibri del Sol 28/2. The large black bird with paler belly seen at La M 7/3 had to be this species but mist hampered the view and it was not accepted onto the evening checklist
550. Glossy Flowerpiercer (*Diglossa lafresnayii*)
551. **Indigo Flowerpiercer** (*Diglossa indigotica*)
No such trouble with this one with males at AA 4/3 and LT 6/3
552. Masked Flowerpiercer (*Diglossa cyanea*)
553. Rusty Flowerpiercer (*Diglossa sittoides*)
554. White-sided Flowerpiercer (*Diglossa albilatera*)
555. Yellow-backed Tanager (*Hemithraupis flavicollis*)
556. Blue-backed Conebill (*Conirostrum sitticolor*)
557. Capped Conebill (*Conirostrum albifrons*)
558. Rufous-browed Conebill (*Conirostrum rufum*)
Susacon Paramo 23/2 and Chinganza NP 25/2
559. White-eared Conebill (*Conirostrum leucogenys*)
560. Blue Dacnis (*Dacnis cayana*)
561. Turquoise Dacnis (*Dacnis hartlaubi*) (E)
Male and female at the CW Lodge 18/3

- 562. Golden-collared Honeycreeper (*Iridophanes pulcherrimus*)
- 563. Plumbeous Sierra-Finch (*Phrygilus unicolor*)
- 564. Grassland Yellow-Finch (*Sicalis luteola*)
- 565. Saffron Finch (*Sicalis flaveola*)
- 566. Blue-black Grassquit (*Volantinia jacarina*)
- 567. Ruddy-breasted Seedeater (*Sporophila minuta*)
- 568. Yellow-bellied Seedeater (*Sporophila nigricollis*)
- 569. Large-billed Seed-Finch (*Oryzoborus crassirostris*)
A pair from the Puerto Pinzan – P road 13/3
- 570. Thick-billed Seed-Finch (*Oryzoborus funereus*)
- 571. Band-tailed Seedeater (*Catamenia analis*)
- 572. Paramo Seedeater (*Catamenia homochroa*)
- 573. Santa Marta Seedeater (*Catamenia (Homochrous) oreophila*)
SL 22/3
- 574. Plain-colored Seedeater (*Catamenia inornata*)
- 575. Bananaquit (*Coereba flaveola*)
- 576. Black-faced Grassquit (*Tiaris bicolor*)
- 577. Yellow-faced Grassquit (*Tiaris olivaceus*)
- 578. Pileated Finch (*Coryhospingus pileatus*)
- 579. Dusky-faced Bush-Tanager (*Mitrospingus cassinii*)
- 580. Rosy Thrush-Tanager (*Rhodinocichla rosea*)
A responsive bird above Minca 25/3
- 581. Black-winged Saltator (*Saltator atripennis*)
- 582. Buff-throated Saltator (*Saltator maximus*)
- 583. Grayish Saltator (*Saltator coerulescens*)
- 584. **Masked Saltator** (*Saltator cinctus*)
Excellent views of a feeding bird at RB 10/3. An elusive and threatened species occurring sparingly from Colombia to Peru
- 585. Orinocan Saltator (*Saltator orinocensis*)
LF 20/3 and 21/3
- 586. Streaked Saltator (*Saltator striatipectus*)
- 587. Rufous-collared Sparrow (*Zonotrichia capensis*)
- 588. Black-striped Sparrow (*Arremonops conirostris*)
- 589. Tocoju Sparrow (*Arremonops tocuyenis*)
LF 2 on 21/3
- 590. Black-headed Brush-Finch (*Arremon atricapillus*)
- 591. Chestnut-capped Brush-Finch (*Arremon brunneinucha*)
- 592. Gray-browed Brush-Finch (*Arremon assimilis*)
- 593. Golden-winged Sparrow (*Arremon schegeli*)
- 594. Sierra Nevada Brush-Finch (*Arremon basilicus*) (E)
A couple at the El Dorado compost heap 23/3
- 595. Tanager Finch (*Oreothraupis arremonops*)
A pair below L M 7/3
- 596. **Choco Brush-Finch** (*Atlapetes crassus*)
LT I on 6/3. One of several recent splits of Bridled
- 597. Moustached Brush-Finch (*Atlapetes albofrenatus*)
- 598. Pale-naped Brush-Finch (*Atlapetes pallidinucha*)

599. Rufous-naped Brush-Finch (*Atlapetes latinuchus*)
600. Santa Marta Brush-Finch (*Atlapetes melanocephalus*) (E)
601. Slaty Brush-Finch (*Atlapetes schistaceus*)
602. **Yellow-headed Brush-Finch** (*Atlapetes flaviceps*) (E)
2 L on 12/3. Another endangered Colombian endemic but occurring in fragmented forest country
603. Yellow-throated Brush-Finch (*Atlapetes gutturalis*)
604. Ashy-throated Chlorospingus (*Chlorospingus canigularis*)
605. Common Chlorospingus (*Chlorospingus ophthalmicus*)
606. Dusky Chlorospingus (*Chlorospingus semifuscus*)
607. **Red-hooded Tanager** (*Piranga rubriceps*)
A couple in a mixed feeding flock SF 28/2
608. Scarlet Tanager (*Piranga olivacea*)
609. Summer Tanager (*Piranga rubra*)
610. Tooth-billed Tanager (*Piranga lutea*)
611. **Crested Ant-Tanager** (*Habia cristata*) (E)
Missed at LT and LS but finally caught up with a male at L 12/3
612. Sooty Ant-Tanager (*Habia gutturalis*) (E)
RC 1 on 2/3, a responsive pair at LV 13/3
613. Rose-breasted Grosbeak (*Pheucticus ludovicianus*)
614. Vermilion Cardinal (*Cardinalis phoeniculus*)
615. Blue-black Grosbeak (*Cyanocompsa cyanoides*)
616. Northern Waterthrush (*Parkesia noveboracensis*)
617. Black-and-white Warbler (*Miniotilta varia*)
618. Tennessee Warbler (*Leithlypis peregrina*)
619. Mourning Warbler (*Geothlypis philadelphia*)
620. American Redstart (*Setophaga ruticilla*)
621. Bay-breasted Warbler (*Setophaga castanea*)
622. Blackburnian Warbler (*Setophaga fusca*)
623. Blackpoll Warbler (*Setophaga striata*)
624. Tropical Parula (*Setophaga pitiaiyumi*)
625. Yellow Warbler (*Setophaga petechia*)
626. Black-crested Warbler (*Myiothlypis nigrocristatus*)
627. Buff-rumped Warbler (*Myiothlypis fulvicauda*)
628. Citrine Warbler (*Myiothlypis luteoviridis*)
YE several 8/3. The distinctive *spp richardsoni* and a good bet again for a future split
629. Gray-throated Warbler (*Myiothlypis cinereicollis*)
630. Russet-crowned Warbler (*Myiothlypis coronatus*)
631. White-lored Warbler (*Myiothlypis conspicillatus*) (E)
SL 22/3 and 24/3
632. Golden-crowned Warbler (*Basileuterus culicivorus*)
633. Rufous-capped Warbler (*Basileuterus rufufrons*)
634. Santa Marta Warbler (*Basileuterus basilicus*) (E)
SL 23/3
635. Three-striped Warbler (*Basileuterus tristriatus*)
636. Canada Warbler (*Cardellina canadensis*)
637. Golden-fronted Whitestart (*Myioborus ornatus*)

638. Slate-throated Whitestart (*Myioborus miniatus*)
639. Yellow-crowned Whitestart (*Myioborus flavivertex*) (E)
SL
640. Chestnut-headed Oropendola (*Psarocolius wagneri*)
641. Crested Oropendola (*Psarocolius decumanus*)
642. Russet-backed Oropendola (*Psarocolius angustifrons*)
643. Northern Mountain Cacique (*Cacicus leucorhamphus*)
644. Yellow-billed Cacique (*Amblycercus holosericeus*)
645. Orange-crowned Oriole (*Icterus auricapillus*)
646. Yellow Oriole (*Icterus nigrogularis*)
647. Yellow-backed Oriole (*Icterus chrysater*)
648. **Mountain Grackle** (*Macroagelaius subularis*) (E)
S excellent views of 5 or so birds 22/2. These oak forests are the most accessible site to see this endangered endemic
649. **Red-bellied Grackle** (*Hypopyrrhus pyrohypogaster*) (E)
LR killer views of several 27/3 including a pair feeding young. AA a further 5 7/3
650. Eastern Meadowlark (*Sturnella magna*)
651. Red-breasted Blackbird (*Sturnella militaris*)
652. Yellow-hooded Blackbird (*Chrysomus icterocephalus*)
653. Shiny Cowbird (*Molothrus bonariensis*)
654. Carib Grackle (*Quiscalus lugubris*)*
An abundant recent invader and new for SA for HB
655. Great-tailed Grackle (*Quiscalis mexicanus*)
656. Andean Siskin (*Sporaga spinescens*)
657. Yellow-bellied Siskin (*Sporaga xanthogastra*)
658. Lesser Goldfinch (*Astragalinus psaltrica*)
659. Fulvous-vented Euphonia (*Euphonia fulvicrissa*)
660. Orange-bellied Euphonia (*Euphonia xanthogaster*)
661. Thick-billed Euphonia (*Euphonia lanirostris*)
662. Trinidad Euphonia (*Euphonia trinitatis*)
LF
663. Velvet-fronted Euphonia (*Euphonia concinna*) (E)
El Hato a few 12/3
664. Blue-naped Chlorophonia (*Chlorophonia cyanea*)
665. Yellow-collared Chlorophonia (*Chlorophonia flavirostris*)
LT 4 on 6/3

Mammals

1. **Andean White-eared Opossum** (*Didelphis pernigra*)
Jardin I 8/3
2. Neotropical Red-tailed Squirrel (*Sciurus granatensis*)
3. Andean Squirrel (*Sciurus pucheranii*) (E)
SF and AA
4. **Santander Dwarf Squirrel** (*Mercoceculus santanderensis*) (E)
Singles S 22/2 and at P 14/3 and 15/3
5. Western Dwarf Squirrel (*Mercoceculus mimulus*)
6. White-footed Tamarin (*Sanguinus leucopus*) (E)
RC 2 2/3
7. **Cotton-top Tamarin** (*Sanguinus oedious*) (E)
Tayrona NP 2 20/3. A Colombian coastal endemic now severely threatened from habitat loss
8. **Lemurine Night-Monkey** (*Aotus lemurinus*)
RC 1 pre dawn 2/3
9. **White-faced Capuchin** (*Cebus capuchinus*)
P 2 14/3 and 3 15/3
10. **Brown Spider Monkey** (*Ateles hybridus*)
P 3 14/3. The critically endangered Upper Magdalena race virtually confined to this Reserve. Endemic to Colombia and n Venezuela
11. Venezuelan Howler Monkey (*Alouatta seniculus*)
12. Central American Agouti (*Dasyprocta punctata*)
13. White-nosed Coati (*Nasua narica*)
14. Puma (*Puma concolor*)
One disturbed from the track at CW 17/3 but only seen by Fabrice
15. Crab-eating Fox (*Cerdocyon thous*)
16. Crab-eating Raccoon (*Procyon cancrivorus*)
17. **Long-tailed Weasal** (*Mustella frenata*)
SL 1 24/3
18. Tayra (*Eira barbara*)
1 crossing the trail P 14/3

