

PLATYPUSES (ORNITHORHYNCHIDAE) (1/1)  
Platypus (*Ornithorhynchus anatinus*)  
ECHIDNAS (TACHYGLOSSIDAE) (2/4)  
Short-beaked Echidna (*Tachyglossus aculeatus*)  
Western Long-beaked Echidna (*Zaglossus bruijnii*)  
OPOSSUMS (DIDELPHIDAE) (21/126)  
Derby's Woolly Opossum (*Caluromys derbianus*)  
Brown-eared Woolly Opossum (*C.lanatus*)  
Bare-tailed Woolly Opossum (*C.philander*)  
Water Opossum (*Chironectes minimus*)  
Brazilian White-eared Opossum (*Didelphis albiventris*)  
Southern Black-eared Opossum (*D.aurita*)  
Northern Black-eared Opossum (*D.marsupialis*)  
Andean White-eared Opossum (*D.pernigra*)  
Virginia Opossum (*D.virginiana*)  
Common Four-eyed Opossum (*Philander canus*)  
Dark Four-eyed Opossum (*P.melanurus*)  
Pebas Four-eyed Opossum (*P.pebas*)  
Northern Four-eyed Opossum (*P.vossi*)  
Northeastern Woolly Mouse Opossum (*Marmosa demerarae*)  
Rufous Mouse Opossum (*M.lepida*)  
Robinson's Mouse Opossum (*M.robinsoni*)  
Amazonian Red-sided Opossum (*Monodelphis glirina*)  
Tehuantepec Gray Mouse Opossum (*Tlacuatzin canescens*)  
Common Brown Four-eyed Opossum (*Metachirus myosuroides*)  
Agile Opossum (*Gracilinanus agilis*)  
Chacoan Fat-tailed Opossum (*Thylamys pusillus*)  
MONITOS DEL MONTE (MICROBIOTHERIIDAE) (1/2)  
Southern Monito del Monte (*Dromiciops gliroides*)  
DASYURES (DASYURIDAE) (36/87)  
Kaluta (*Dasykaluta rosamondae*)  
Western Quoll (*Dasyurus geoffroyi*)  
Northern Quoll (*D.hallucatus*)  
Spotted-tailed Quoll (*D.maculatus*)  
Eastern Quoll (*D.viverrinus*)  
Muller's Three-striped Dasyure (*Myoictis melas*)  
Dibbler (*Parantechinus apicalis*)

Sandstone Pseudantechinus (*Pseudantechinus bilarni*)  
Fat-tailed Pseudantechinus (*P.macdonnellensis*)  
Ningbing Pseudantechinus (*P.ningbing*) (?)  
Woolley's Pseudantechinus (*P.woolleyae*)  
Tasmanian Devil (*Sarcophilus harrisii*)  
Rusty Antechinus (*Antechinus adustus*)  
Agile Antechinus (*A.agilis*)  
Fawn Antechinus (*A.bellus*)  
Yellow-footed Antechinus (*A.flavipes*)  
Atherton Antechinus (*A.godmani*)  
Mainland Dusky Antechinus (*A.mimetes*)  
Swamp Antechinus (*A.minimus*)  
Brown Antechinus (*A.stuartii*)  
Subtropical Antechinus (*A.subtropicus*)  
Black-tailed Dasyure (*Murexia melanura*)  
Red-tailed Phascogale (*Phascogale calurus*)  
Northern Brush-tailed Phascogale (*P.pirata*)  
Common Brush-tailed Phascogale (*P.tapoatafa*)  
Long-tailed Planigale (*Planigale ingrami*)  
Orange-headed Pilbara Planigale (*P.kendricki*)  
Common Planigale (*P.maculata*)  
Kultarr (*Antechinomys laniger*)  
Pilbara Ningau (Ningau *timealeyi*)  
Southern Ningau (*N.yvonneae*)  
Fat-tailed Dunnart (*Sminthopsis crassicaudata*)  
Gray-bellied Dunnart (*S.fuliginosa*)  
Gilbert's Dunnart (*S.gilberti*)  
White-footed Dunnart (*S.leucopus*)  
Stripe-faced Dunnart (*S.macroura*)  
Common Dunnart (*S.murina*)  
Red-cheeked Dunnart (*S.virginiae*) (?)  
Lesser Hairy-footed Dunnart (*S.youngsoni*) (?)  
NUMBATS (MYRMECOBIIDAE) (1/1)  
Numbat (*Myrmecobius fasciatus*)  
BANDICOOTS (PERAMELIDAE) (10/22)  
Common Spiny Bandicoot (*Echymipera kalubu*)  
Long-nosed Spiny Bandicoot (*E.rufescens*)  
Golden Bandicoot (*Isodon auratus*)

Western Brown Bandicoot (*I.fusciventer*)  
Northern Brown Bandicoot (*I.macrourus*)  
Southern Brown Bandicoot (*I.obesulus*)  
Eastern Barred Bandicoot (*Perameles gunnii*)  
Long-nosed Bandicoot (*P.nasuta*)  
Queensland Barred Bandicoot (*P.pallescens*)  
Raffray's Bandicoot (*Peroryctes raffrayanus*)  
BILBIES (THYLACOMYIDAE) (1/1)  
Greater Bilby (*Macrotis lagotis*)  
MUSKY RAT-KANGAROOS (HYPsipRYMNODONTIDAE) (1/1)  
Musky Rat Kangaroo (*Hypsiprymnodon moschatus*)  
KANGAROOS, WALLABIES AND ALLIES (MACROPODIDAE) (42/63)  
Bennett's Tree Kangaroo (*Dendrolagus bennettianus*)  
Grizzled Tree Kangaroo (*D.inustus*)  
Lumholtz's Tree Kangaroo (*D.lumholtzi*)  
Vogelkop Tree Kangaroo (*D.ursinus*)  
Allied Rock Wallaby (*Petrogale assimilis*)  
Short-eared Rock Wallaby (*P.brachyotis*)  
Monjon (*P.burbidgei*)  
Cape York Rock Wallaby (*P.coenensis*)  
Godman's Rock Wallaby (*P.godmani*)  
Herbert's Rock Wallaby (*P.herberti*)  
Unadorned Rock Wallaby (*P.inornata*)  
Black-footed Rock Wallaby (*P.lateralis*)  
Mareeba Rock Wallaby (*P.mareeba*)  
Brush-tailed Rock Wallaby (*P.penicillata*)  
Proserpine Rock Wallaby (*P.persephone*)  
Purple-necked Rock Wallaby (*P.purpureicollis*)  
Rothschild's Rock Wallaby (*P.rothschildi*)  
Sharman's Rock Wallaby (*P.sharmani*)  
Wilkins's Rock Wallaby (*P.wilkinsi*)  
Yellow-footed Rock Wallaby (*P.xanthopus*)  
Rufous-bellied Pademelon (*Thylogale billardieri*)  
Red-legged Pademelon (*T.stigmatica*)  
Red-necked Pademelon (*T.thetis*)  
Brown Forest Wallaby (*Dorcopsis muelleri*)  
Spectacled Hare Wallaby (*Lagorchestes conspicillatus*)  
Western Gray Kangaroo (*Macropus fuliginosus*)

Eastern Gray Kangaroo (*M.giganteus*)  
Agile Wallaby (*Notamacropus agilis*)  
Black-striped Wallaby (*N.dorsalis*)  
Tamar Wallaby (*N.eugenii*)  
Western Brush Wallaby (*N.irma*)  
Parma Wallaby (*N.parma*)  
Whip-tailed Wallaby (*N.parryi*)  
Red-necked Wallaby (*N.rufogriseus*)  
Bridled Nail-tailed Wallaby (*Onychogalea frenata*)  
Northern Nail-tailed Wallaby (*O.unguifera*)  
Antilopine Wallaroo (*Osphranter antilopinus*)  
Black Wallaroo (*O.bernardus*)  
Common Wallaroo (*O.robustus*)  
Red Kangaroo (*O.rufus*)  
Swamp Wallaby (*Wallabia bicolor*)  
Quokka (*Setonix brachyurus*)  
POTOROOS AND BETTONGS (POTOROIDAE) (7/8)  
Rufous Bettong (*Aepyprymnus rufescens*)  
Eastern Bettong (*Bettongia gaimardi*)  
Burrowing Bettong (*B.lesueur*)  
Brush-tailed Bettong (*B.penicillata*)  
Northern Bettong (*B.tropica*)  
Gilbert's Potoroo (*Potorous gilbertii*)  
Long-nosed Potoroo (*P.tridactylus*)  
FEATHERTAILS (ACROBATIDAE) (3/3)  
Broad-toed Feather-tailed Glider (*Acrobates frontalis*)  
Narrow-toed Feather-tailed Glider (*A.pygmaeus*)  
Feather-tailed Possum (*Distoechurus pennatus*)  
GLIDERS, TRIOKS, AND ALLIES (PETAURIDAE) (10/15)  
Long-fingered Striped Possum (*Dactylopsila palpator*)  
Torresian Striped Possum (*D.trivirgata*)  
Leadbeater's Possum (*Gymnobelideus leadbeateri*)  
Savanna Glider (*Petaurus ariel*)  
Yellow-bellied Glider (*P.australis*)  
Sugar Glider (*P.breviceps*)  
Mahogany Glider (*P.gracilis*)  
Squirrel Glider (*P.norfolcensis*)  
Krefft's Glider (*P.notatus*)

New Guinea Glider (*P.papuanus*)  
RINGTAIL POSSUMS (PSEUDOCHEIRIDAE) (14/20)  
Lemuroid Ring-tailed Possum (*Hemibelideus lemuroides*)  
Central Greater Glider (*Petauroides armillatus*)  
Northern Greater Glider (*P.minor*)  
Southern Greater Glider (*P.volans*)  
Western Ring-tailed Possum (*Pseudocheirus occidentalis*)  
Eastern Ring-tailed Possum (*P.peregrinus*)  
Lowland Ring-tailed Possum (*Pseudochirulus canescens*)  
Daintree River Ring-tailed Possum (*P.cinereus*)  
Herbert River Ring-tailed Possum (*P.herbertensis*)  
Arfak Ring-tailed Possum (*P.schlegelii*)  
D'Albertis's Ring-tailed Possum (*Pseudochirops albertisii*)  
Green Ring-tailed Possum (*P.archeri*)  
Reclusive Ring-tailed Possum (*P.coronatus*)  
Rock Ring-tailed Possum (*P.dahlia*)  
HONEY POSSUMS (TARSIPEDIDAE) (1/1)  
Honey Possum (*Tarsipes rostratus*)  
PYGMY POSSUMS (BURRAMYIDAE) (5/5)  
Mountain Pygmy Possum (*Burramys parvus*)  
Long-tailed Pygmy Possum (*Cercartetus caudatus*)  
Western Pygmy Possum (*C.concinnus*)  
Little Pygmy Possum (*C.lepidus*)  
Eastern Pygmy Possum (*C.nana*)  
CUSCUSES AND BRUSHTAIL POSSUMS (PHALANGERIDAE) (11/31)  
Common Bear Cuscus (*Ailurops ursinus*)  
Small Sulawesi Cuscus (*Strigocuscus celebensis*)  
Ground Cuscus (*Phalanger gymnotis*)  
Northern Common Cuscus (*P.orientalis*)  
Australian Spotted Cuscus (*Spilocuscus nudicaudatus*)  
Waigeo Spotted Cuscus (*S.papuensis*)  
Short-eared Brush-tailed Possum (*Trichosurus caninus*)  
Mountain Brush-tailed Possum (*T.cunninghami*)  
Coppery Brush-tailed Possum (*T.johnstonii*)  
Common Brush-tailed Possum (*T.vulpecula*)  
Scaly-tailed Possum (*Wyulda squamicaudata*)  
KOALAS (PHASCOLARCTIDAE) (1/1)  
Koala (*Phascolarctos cinereus*)

WOMBATS (VOMBATIDAE) (3/3)

Northern Hairy-nosed Wombat (*Lasiorhinus krefftii*)

Southern Hairy-nosed Wombat (*L.latifrons*)

Common Wombat (*Vombatus ursinus*)

SHORT-NOSED ARMADILLOS (CHLAMYPHORIDAE) (6/14)

Screaming Hairy Armadillo (*Chaetophractus vellerosus*)

Large Hairy Armadillo (*C.villosus*)

Six-banded Armadillo (*Euphractus sexcinctus*)

Amazon Naked-tailed Armadillo (*Cabassous unicinctus*)

Giant Armadillo (*Priodontes maximus*)

Southern Three-banded Armadillo (*Tolypeutes matacus*)

LONG-NOSED ARMADILLOS (DASYPODIDAE) (3/8)

Greater Long-nosed Armadillo (*Dasyopus kappleri*)

Nine-banded Armadillo (*D.novemcinctus*)

Brazilian Lesser Long-nosed Armadillo (*D.septemcinctus*)

THREE-TOED SLOTHS (BRADYPODIDAE) (4/5)

Southern Maned Three-toed Sloth (*Bradypus crinitus*)

Pygmy Three-toed Sloth (*B.pygmaeus*)

Pale-throated Three-toed Sloth (*B.tridactylus*)

Brown-throated Three-toed Sloth (*B.variegatus*)

TWO-TOED SLOTHS (CHOLOEPODIDAE) (2/2)

Linnaeus's Two-toed Sloth (*Choloepus didactylus*)

Hoffmann's Two-toed Sloth (*C.hoffmanni*)

SILKY ANTEATERS (CYCLOPEDIDAE) (1/7)

Central American Silky Anteater (*Cyclopes dorsalis*)

ANTEATERS (MYRMECOPHAGIDAE) (3/3)

Giant Anteater (*Myrmecophaga tridactyla*)

Northern Tamandua (*Tamandua mexicana*)

Southern Tamandua (*T.tetradactyla*)

SENGIS (MACROSCOLIDIDAE) (8/20)

Eastern Rock Sengi (*Elephantulus myurus*)

Western Rock Sengi (*E.rupestris*)

Somali Sengi (*Galegeeska revoilii*)

Rufous Sengi (*G.rufescens*)

Four-toed Sengi (*Petrodromus tetradactylus*)

North African Sengi (*Petrosaltator rozeti*)

Golden-rumped Sengi (*Rhynchocyon chrysopygus*)

Black-and-rufous Sengi (*R.petersi*)

GOLDEN MOLES (CHRYSOCHLORIDAE) (1/21)  
Congo Golden Mole (*Huetia leucorhina*)  
TENRECS (TENRECIDAE) (3/31)  
Lowland Streaked Tenrec (*Hemicentetes semispinosus*)  
Greater Hedgehog Tenrec (*Setifer setosus*)  
Tailless Tenrec (*Tenrec ecaudatus*)  
AARDVARKS (ORYCTEROPODIDAE) (1/1)  
Aardvark (*Orycteropus afer*)  
ELEPHANTS (ELEPHANTIDAE) (3/3)  
Asian Elephant (*Elephas maximus*)  
African Savanna Elephant (*Loxodonta africana*)  
African Forest Elephant (*L.cyclotis*)  
HYRAXES (PROCAVIIDAE) (5/6)  
Southern Tree Hyrax (*Dendrohyrax arboreus*)  
Western Tree Hyrax (*D.dorsalis*)  
Eastern Tree Hyrax (*D.validus*)  
Bush Hyrax (*Heterohyrax brucei*)  
Rock Hyrax (*Procavia capensis*)  
DUGONGS (DUGONGIDAE) (1/1)  
Dugong (*Dugong dugon*)  
MANATEES (TRICHECHIDAE) (2/3)  
Amazonian Manatee (*Trichechus inunguis*)  
West Indian Manatee (*T.manatus*)  
COLUGOS (CYNOCEPHALIDAE) (2/2)  
Philippine Colugo (*Cynocephalus volans*)  
Sunda Colugo (*Galeopterus variegatus*)  
PEN-TAILED TREESHREWS (PTILOLOCERCIDAE) (1/1)  
Pen-tailed Treeshrew (*Ptilocercus lowii*)  
TREESHREWS (TUPAIIDAE) (10/22)  
Northern Smooth-tailed Treeshrew (*Dendrogale murina*)  
Northern Treeshrew (*Tupaia belangeri*)  
Sumatran Treeshrew (*T.ferruginea*)  
Common Treeshrew (*T.glis*)  
Slender Treeshrew (*T.gracilis*)  
Horsfield's Treeshrew (*T.javanica*)  
Long-footed Treeshrew (*T.longipes*)  
Lesser Treeshrew (*T.minor*)  
Mountain Treeshrew (*T.montana*)

Large Treeshrew (*T.tana*)  
OLD WORLD MONKEYS (CERCOPITHECIDAE) (97/164)  
L'Hoest's Monkey (*Allochrocebus lhoesti*)  
Preuss's Monkey (*A.preussi*)  
Sun-tailed Monkey (*A.solatus*)  
Red-tailed Monkey (*Cercopithecus ascanius*)  
Campbell's Monkey (*C.campbelli*)  
Mustached Monkey (*C.cephus*)  
Dent's Monkey (*C.denti*)  
Diana Monkey (*C.diana*)  
Red-eared Monkey (*C.erythrotis*)  
Lowe's Monkey (*C.lowei*)  
Blue Monkey (*C.mitis*)  
Mona Monkey (*C.mona*)  
De Brazza's Monkey (*C.neglectus*)  
Putty-nosed Monkey (*C.nictitans*)  
Spot-nosed Monkey (*C.petaurista*)  
Crowned Monkey (*C.pogonias*)  
Grivet Monkey (*Chlorocebus aethiops*)  
Malbrouck Monkey (*C.cynosuros*)  
Bale Mountains Monkey (*C.djamdjamensis*)  
Vervet Monkey (*C.pygerythrus*)  
Green Monkey (*C.sabaeus*)  
Tantalus Monkey (*C.tantalus*)  
Common Patas Monkey (*Erythrocebus patas*)  
Northern Talapoin Monkey (*Miopithecus ogouensis*)  
Agile Mangabey (*Cercocebus agilis*)  
Sooty Mangabey (*C.atys*)  
Tana River Mangabey (*C.galeritus*)  
Sanje River Mangabey (*C.sanjei*)  
Red-capped Mangabey (*C.torquatus*)  
Gray-cheeked Mangabey (*Lophocebus albigena*)  
Johnston's Mangabey (*L.johnstoni*)  
Ugandan Crested Mangabey (*L.ugandae*)  
Stump-tailed Macaque (*Macaca arctoides*)  
Assamese Macaque (*M.assamensis*)  
Taiwanese Macaque (*M.cyclopis*)  
Long-tailed Macaque (*M.fascicularis*)

Japanese Macaque (*M.fuscata*)  
Heck's Macaque (*M.hecki*)  
Northern Pig-tailed Macaque (*M.leonina*)  
Rhesus Macaque (*M.mulatta*)  
Southern Pig-tailed Macaque (*M.nemestrina*)  
Crested Macaque (*M.nigra*)  
Bonnet Macaque (*M.radiata*)  
Lion-tailed Macaque (*M.silenus*)  
Toque Macaque (*M.sinica*)  
Barbary Macaque (*M.sylvanus*)  
Tibetan Macaque (*M.thibetana*)  
Drill (*Mandrillus leucophaeus*)  
Mandrill (*M.sphinx*)  
Olive Baboon (*Papio anubis*)  
Yellow Baboon (*P.cynocephalus*)  
Hamadryas Baboon (*P.hamadryas*)  
Kinda Baboon (*P.kindae*)  
Chacma Baboon (*P.ursinus*)  
Gelada (*Theropithecus gelada*)  
Angolan Colobus (*Colobus angolensis*)  
Guereza (*C.guereza*)  
King Colobus (*C.polykomos*)  
Black Colobus (*C.satanas*)  
Upper Guinea Red Colobus (*Piliocolobus badius*)  
Udzungwa Red Colobus (*P.gordonorum*)  
Zanzibar Red Colobus (*P.kirkii*)  
Pennant's Red Colobus (*P.pennantii*)  
Tana River Red Colobus (*P.rufomitratu*s)  
Semliki Red Colobus (*P.semlikiensis*)  
Ashy Red Colobus (*P.tephrosceles*)  
Olive Colobus (*Procolobus verus*)  
Proboscis Monkey (*Nasalis larvatus*)  
Javan Langur (*Presbytis comata*)  
Mitered Langur (*P.mitrata*)  
Robinson's Banded Langur (*P.robinsoni*)  
Maroon Langur (*P.rubicunda*)  
Sabah Grizzled Langur (*P.sabana*)  
Pale-thighed Langur (*P.siamensis*)

Thomas's Langur (*P.thomasi*)  
Gray-shanked Douc (*Pygathrix cinerea*)  
Red-shanked Douc (*P.nemaeus*)  
Black-shanked Douc (*P.nigripes*)  
Yunnan Snub-nosed Monkey (*Rhinopithecus bieti*)  
Golden Snub-nosed Monkey (*R.roxellana*)  
Bengal Sacred Langur (*Semnopithecus entellus*)  
Terai Sacred Langur (*S.hector*)  
Malabar Sacred Langur (*S.hypoleucos*)  
Nilgiri Langur (*S.johnii*)  
Tufted Gray Langur (*S.priam*)  
Nepal Sacred Langur (*S.schistaceus*)  
Purple-faced Langur (*S.vetulus*)  
Indochinese Gray Langur (*Trachypithecus crepusculus*)  
Sunda Silvery Langur (*T.cristatus*)  
Delacour's Langur (*T.delacouri*)  
Golden Langur (*T.geei*)  
Hatinh Langur (*T.hatinhensis*)  
Annamese Langur (*T.margarita*)  
West Javan Langur (*T.mauritius*)  
Dusky Langur (*T.obscurus*)  
Capped Langur (*T.pileatus*)  
Selangor Silvery Langur (*T.selangorensis*)  
GREAT APES (HOMINIDAE) (6/8)  
Eastern Gorilla (*Gorilla beringei*)  
Western Gorilla (*G.gorilla*)  
Human (*Homo sapiens*)  
Chimpanzee (*Pan troglodytes*)  
Sumatran Orangutan (*Pongo abelii*)  
Bornean Orangutan (*P.pygmaeus*)  
GIBBONS (HYLOBATIDAE) (9/20)  
Western Hoolock Gibbon (*Hoolock hoolock*)  
Agile Gibbon (*Hylobates agilis*)  
Eastern Gray Gibbon (*H.funereus*)  
Lar Gibbon (*H.lar*)  
Moloch Gibbon (*H.moloch*)  
Pileated Gibbon (*H.pileatus*)  
Western Black Crested Gibbon (*Nomascus concolor*)

Southern Yellow-cheeked Crested Gibbon (*N.gabriellae*)

Siamang (*Symphalangus syndactylus*)

NIGHT MONKEYS (AOTIDAE) (9/11)

Azara's Night Monkey (*Aotus azarae*)

Brumback's Night Monkey (*A.brumbacki*)

Gray-legged Night Monkey (*A.griseimembra*)

Lemurine Night Monkey (*A.lemurinus*)

Andean Night Monkey (*A.miconax*)

Ma's Night Monkey (*A.nancymai*)

Black-headed Night Monkey (*A.nigriceps*)

Spix's Night Monkey (*A.vociferans*)

Panamanian Night Monkey (*A.zonalis*)

SPIDER, HOWLER, AND WOOLLY MONKEYS (ATELIDAE) (20/23)

Black-and-gold Howler (*Alouatta caraya*)

Spix's Red-handed Howler (*A.discolor*)

Brown Howler (*A.guariba*)

Guianan Red Howler (*A.macconnelli*)

Amazon Black Howler (*A.nigerrima*)

Mantled Howler (*A.palliata*)

Central American Black Howler (*A.pigra*)

Bolivian Red Howler (*A.sara*)

Colombian Red Howler (*A.seneculus*)

White-bellied Spider Monkey (*Ateles belzebuth*)

Black Spider Monkey (*A.chamek*)

Brown-headed Spider Monkey (*A.fusciceps*)

Central American Spider Monkey (*A.geoffroyi*)

Variiegated Spider Monkey (*A.hybridus*)

White-whiskered Spider Monkey (*A.marginatus*)

Red-faced Black Spider Monkey (*A.paniscus*)

Southern Muriqui (*Brachyteles arachnoides*)

Northern Muriqui (*B.hypoxanthus*)

Yellow-tailed Woolly Monkey (*Lagothrix flavicauda*)

Common Woolly Monkey (*L.lagothricha*)

MARMOSETS AND TAMARINS (CALLITRICHIDAE) (34/54)

Goeldi's Monkey (*Callimico goeldii*)

Buffy-tufted-ear Marmoset (*Callithrix aurita*)

Buffy-headed Marmoset (*C.flaviceps*)

Geoffroy's Tufted-ear Marmoset (*C.geoffroyi*)

Common Marmoset (*C.jacchus*)  
Wied's Marmoset (*C.kuhlii*)  
Black-tufted-ear Marmoset (*C.penicillata*)  
Northern Pygmy Marmoset (*Cebuella pygmaea*)  
Black-faced Lion Tamarin (*Leontopithecus caissara*)  
Golden-headed Lion Tamarin (*L.chrysomelas*)  
Black Lion Tamarin (*L.chrysopygus*)  
Golden Lion Tamarin (*L.rosalia*)  
Golden-white Tassel-ear Marmoset (*Mico chrysoleucos*)  
Santarém Marmoset (*M.humeralifer*)  
Black-crowned Dwarf Marmoset (*M.humilis*)  
Marca's Marmoset (*M.marcai*)  
Maués Marmoset (*M.mauesi*)  
Black-tailed Marmoset (*M.melanurus*)  
Sateré Marmoset (*M.sateri*)  
Pied Bare-faced Tamarin (*Saguinus bicolor*)  
Spix's Saddle-back Tamarin (*S.fuscicollis*)  
Lesson's Saddle-back Tamarin (*S.fuscus*)  
Geoffroy's Tamarin (*S.geoffroyi*)  
Illiger's Saddle-back Tamarin (*S.illigeri*)  
Mottled-face Tamarin (*S.inustus*)  
Red-bellied Tamarin (*S.labiatus*)  
White-footed Tamarin (*S.leucopus*)  
Midas Tamarin (*S.midas*)  
Spix's Mustached Tamarin (*S.mystax*)  
Black-mantled Tamarin (*S.nigricollis*)  
Cotton-top Tamarin (*S.oedipus*)  
Bearded Emperor Tamarin (*S.subgriseus*)  
Golden-mantled Saddle-back Tamarin (*S.tripartitus*)  
Weddell's Saddle-back Tamarin (*S.weddelli*)  
CEBID MONKEYS (CEBIDAE) (14/19)  
White-fronted Capuchin (*Cebus albifrons*)  
White-faced Capuchin (*C.capucinus*)  
Weeper Capuchin (*C.olivaceus*)  
Brown Capuchin (*Sapajus apella*)  
Hooded Capuchin (*S.cay*)  
Black-horned Capuchin (*S.nigrurus*)  
Crested Capuchin (*S.robustus*)

Yellow-breasted Capuchin (*S.xanthosternos*)  
Black-capped Squirrel Monkey (*Saimiri boliviensis*)  
Humboldt's Squirrel Monkey (*S.cassiquiarensis*)  
Ecuadorian Squirrel Monkey (*S.macrodon*)  
Central American Squirrel Monkey (*S.oerstedii*)  
Guianan Squirrel Monkey (*S.sciureus*)  
Golden-backed Squirrel Monkey (*S.ustus*)  
SAKIS, TITIS, AND UAKARIS (PITHECIIDAE) (31/61)  
Southern Bahian Titi (*Callicebus melanochir*)  
Black-fronted Titi (*C.nigrifrons*)  
Masked Titi (*C.personatus*)  
Yellow-handed Titi (*Cheracebus lucifer*)  
White-chested Titi (*C.lugens*)  
Medem's Titi (*C.medemi*)  
Madidi Titi (*Plecturocebus aureipalatii*)  
Lake Baptista Titi (*P.baptista*)  
Prince Bernhard's Titi (*P.bernhardi*)  
Caqueta Titi (*P.caquetensis*)  
Ashy Titi (*P.cinerascens*)  
Coppery Titi (*P.cupreus*)  
Red-crowned Titi (*P.discolor*)  
White-eared Titi (*P.donacophilus*)  
Hoffmann's Titi (*P.hoffmannsi*)  
Rio Beni Titi (*P.modestus*)  
Red-bellied Titi (*P.moloch*)  
San Martin Titi (*P.oenanthe*)  
Olallas' Titi (*P.olallae*)  
Ornate Titi (*P.ornatus*)  
Pale Titi (*P.pallescens*)  
Toppin's Titi (*P.toppini*)  
Golden-brown Uacari (*Cacajao melanocephalus*)  
Ucayali Bald Uacari (*C.ucayalii*)  
Red-nosed Bearded Saki (*Chiropotes albinasus*)  
Guianan Bearded Saki (*C.sagulatus*)  
Golden-faced Saki (*Pithecia chrysocephala*)  
Gray's Bald-faced Saki (*P.irrorata*)  
Monk Saki (*P.monachus*)  
Napo Saki (*P.napensis*)

White-faced Saki (*P.pithecia*)  
TARSIERS (TARSIIDAE) (2/14)  
Philippine Tarsier (*Carlito syrichta*)  
Gursky's Spectral Tarsier (*Tarsius spectrumgurskyae*)  
AYE-AYES (DAUBENTONIIDAE) (1/1)  
Aye-aye (*Daubentonia madagascariensis*)  
DWARF AND MOUSE LEMURS (CHEIROGALEIDAE) (21/41)  
Montagne d'Ambre Dwarf Lemur (*Cheirogaleus andysabini*)  
Crossley's Dwarf Lemur (*C.crossleyi*)  
Groves's Dwarf Lemur (*C.grovesi*)  
Greater Dwarf Lemur (*C.major*)  
Fat-tailed Dwarf Lemur (*C.medius*)  
Ankarana Dwarf Lemur (*C.shethi*)  
Sibree's Dwarf Lemur (*C.sibreei*)  
Montagne d'Ambre Mouse Lemur (*Microcebus arnholdi*)  
Madame Berthe's Mouse Lemur (*M.berthae*)  
Jolly's Mouse Lemur (*M.jollyae*)  
Goodman's Mouse Lemur (*M.lehilahytsara*)  
Nosy Be Mouse Lemur (*M.mamiratra*)  
Gray Mouse Lemur (*M.murinus*)  
Golden-brown Mouse Lemur (*M.ravelobensis*)  
Rufous Mouse Lemur (*M.rufus*)  
Sambirano Mouse Lemur (*M.sambiranensis*)  
Tavaratra Mouse Lemur (*M.tavaratra*)  
Northern Giant Mouse Lemur (*Mirza zaza*)  
Montagne d'Ambre Fork-marked Lemur (*Phaner electromontis*)  
Pale Fork-marked Lemur (*P.pallescens*)  
Sambirano Fork-marked Lemur (*P.parianti*)  
INDRIS, SIFAKAS, AND WOOLLY LEMURS (INDRIIDAE) (12/19)  
Eastern Woolly Lemur (*Avahi laniger*)  
Western Woolly Lemur (*A.occidentalis*)  
Peyrieras's Woolly Lemur (*A.peyrierasi*)  
Indri (*Indri indri*)  
Silky Sifaka (*Propithecus candidus*)  
Coquerel's Sifaka (*P.coquereli*)  
Crowned Sifaka (*P.coronatus*)  
Diademed Sifaka (*P.diadema*)  
Milne-Edwards's Sifaka (*P.edwardsi*)

Perrier's Sifaka (*P.perrieri*)

Tattersall's Sifaka (*P.tattersalli*)

Verreaux's Sifaka (*P.verreauxi*)

TYPICAL LEMURS (LEMURIDAE) (15/21)

White-fronted Brown Lemur (*Eulemur albifrons*)

Crowned Lemur (*E.coronatus*)

Blue-eyed Black Lemur (*E.flavifrons*)

Brown Lemur (*E.fulvus*)

Black Lemur (*E.macaco*)

Mongoose Lemur (*E.mongoz*)

Red-bellied Lemur (*E.rubriventer*)

Red-fronted Brown Lemur (*E.rufifrons*)

Sanford's Brown Lemur (*E.sanfordi*)

Golden Bamboo Lemur (*Hapalemur aureus*)

Gray Bamboo Lemur (*H.griseus*)

Northern Bamboo Lemur (*H.occidentalis*)

Ring-tailed Lemur (*Lemur catta*)

Greater Bamboo Lemur (*Prolemur simus*)

Black-and-white Ruffed Lemur (*Varecia variegata*)

SPORTIVE LEMURS (LEPILEMURIDAE) (6/25)

Ankarana Sportive Lemur (*Lepilemur ankaranensis*)

Gray's Sportive Lemur (*L.dorsalis*)

Milne-Edwards's Sportive Lemur (*L.edwardsi*)

Daraina Sportive Lemur (*L.milanoii*)

Red-tailed Sportive Lemur (*L.ruficaudatus*)

Nosy Be Sportive Lemur (*L.tymerlachsoni*)

GALAGOS (GALAGIDAE) (12/19)

Southern Needle-clawed Galago (*Euoticus elegantulus*)

Northern Needle-clawed Galago (*E.pallidus*)

Spectacled Lesser Galago (*Galago matschiei*)

Southern Lesser Galago (*G.moholi*)

Northern Lesser Galago (*G.senegalensis*)

Demidoff's Dwarf Galago (*Galagoides demidoff*)

Thomas's Dwarf Galago (*G.thomasi*)

Thick-tailed Greater Galago (*Otolemur crassicaudatus*)

Garnett's Greater Galago (*O.garnettii*)

Kenya Coast Dwarf Galago (*Paragalago cocos*)

Tanzania Coast Dwarf Galago (*P.zanzibaricus*)

Makande Squirrel Galago (*Sciurocheirus makandensis*)

LORISES AND POTTOS (LORISIDAE) (8/17)

Gray Slender Loris (*Loris lydekkerianus*)

Bengal Slow Loris (*Nycticebus bengalensis*)

Malaysian Slow Loris (*N.coucang*)

Hillier's Slow Loris (*N.hillieri*)

Philippine Slow Loris (*N.menagensis*)

Central African Potto (*Perodicticus edwardsi*)

East African Potto (*P.ibeanus*)

West African Potto (*P.potto*)

HARES AND RABBITS (LEPORIDAE) (51/77)

Riverine Rabbit (*Bunolagus monticularis*)

Antelope Jackrabbit (*Lepus alleni*)

Snowshoe Hare (*L.americanus*)

Arctic Hare (*L.arcticus*)

Japanese Hare (*L.brachyurus*)

Black-tailed Jackrabbit (*L.californicus*)

White-sided Jackrabbit (*L.callotis*)

Cape Hare (*L.capensis*)

Broom Hare (*L.castroviejoi*)

Korean Hare (*L.coreanus*)

Corsican Hare (*L.corsicanus*)

European Hare (*L.europaeus*)

Ethiopian Hare (*L.fagani*)

Tehuantepec Jackrabbit (*L.flavigularis*)

Iberian Hare (*L.granatensis*)

Abyssinian Hare (*L.habessinicus*)

Mediterranean Hare (*L.mediterraneus*)

African Savanna Hare (*L.microtis*)

Indian Hare (*L.nigricollis*)

Woolly Hare (*L.oiostolus*)

Burmese Hare (*L.peguensis*)

West Sahara Hare (*L.saharae*)

Scrub Hare (*L.saxatilis*)

Moroccan Hare (*L.schlumbergeri*)

Ethiopian Highland Hare (*L.starcki*)

Mountain Hare (*L.timidus*)

Tolai Hare (*L.tolai*)

White-tailed Jackrabbit (*L.townsendii*)  
European Rabbit (*Oryctolagus cuniculus*)  
Amami Rabbit (*Pentalagus furnessi*)  
Bunyoro Rabbit (*Poelagus marjorita*)  
Jameson's Red Rock Hare (*Pronolagus randensis*)  
Smith's Red Rock Hare (*P.rupestris*)  
Hewitt's Red Rock Hare (*P.saundersiae*)  
Volcano Rabbit (*Romerolagus diazi*)  
Andean Tapeti (*Sylvilagus andinus*)  
Swamp Rabbit (*S.aquaticus*)  
Desert Cottontail (*S.audubonii*)  
Brush Rabbit (*S.bachmani*)  
Common Tapeti (*S.brasiliensis*)  
Mexican Cottontail (*S.cunicularius*)  
Dice's Cottontail (*S.dicei*)  
Eastern Cottontail (*S.floridanus*)  
Central American Tapeti (*S.gabbi*)  
Robust Cottontail (*S.holzneri*)  
Pygmy Rabbit (*S.idahoensis*)  
Mountain Cottontail (*S.nuttallii*)  
Appalachian Cottontail (*S.obscurus*)  
Marsh Rabbit (*S.palustris*)  
New England Cottontail (*S.transitionalis*)  
Yucatan Cottontail (*S.yucatanicus*)  
PIKAS (OCHOTONIDAE) (9/34)  
Gansu Pika (*Ochotona cansus*)  
Collared Pika (*O.collaris*)  
Plateau Pika (*O.curzoniae*)  
Chinese Red Pika (*O.erythrotis*)  
Large-eared Pika (*O.macrotis*)  
Nubra Pika (*O.nubrica*)  
Pallas's Pika (*O.pallasii*)  
American Pika (*O.princeps*)  
Sijin Pika (*O.sikimaria*)  
GUNDIS (CTENODACTYLIDAE) (2/5)  
Common Gundi (*Ctenodactylus gundi*)  
Speke's Gundi (*Pectinator spekei*)  
CAVIES (CAVIIDAE) (7/24)

Brazilian Guinea Pig (*Cavia aperea*)  
Lowland Yellow-toothed Cavy (*Galea leucoblephara*)  
Southern Mountain Cavy (*Microcavia australis*)  
Patagonian Mara (*Dolichotis patagonum*)  
Chacoan Mara (*D.salinicola*)  
Greater Capybara (*Hydrochoerus hydrochaeris*)  
Lesser Capybara (*H.isthmus*)  
PACAS (CUNICULIDAE) (2/2)  
Lowland Paca (*Cuniculus paca*)  
Mountain Paca (*C.taczanowskii*)  
AGOUTIS AND ACOUCHIS (DASYPROCTIDAE) (7/15)  
Azara's Agouti (*Dasyprocta azarae*)  
Coiban Agouti (*D.coibae*)  
Black Agouti (*D.fuliginosa*)  
Common Red-rumped Agouti (*D.leporina*)  
Mexican Agouti (*D.mexicana*)  
Central American Agouti (*D.punctata*)  
Brown Agouti (*D.variegata*)  
CHINCHILLAS AND VISCACHAS (CHINCHILLIDAE) (3/6)  
Chilean Chinchilla (*Chinchilla lanigera*)  
Common Mountain Viscacha (*Lagidium viscacia*)  
Common Plains Viscacha (*Lagostomus maximus*)  
NEW WORLD PORCUPINES (ERETHIZONTIDAE) (7/18)  
Bicolor-spined Porcupine (*Coendou bicolor*)  
Amazonian Long-tailed Porcupine (*C.longicaudatus*)  
Black-tailed Porcupine (*C.melanurus*)  
Mexican Hairy Porcupine (*C.mexicanus*)  
Quichua Porcupine (*C.quichua*)  
Stump-tailed Porcupine (*C.rufescens*)  
North American Porcupine (*Erethizon dorsatum*)  
NAKED MOLERATS (HETEROCEPHALIDAE) (1/1)  
Naked Mole-rat (*Heterocephalus glaber*)  
OLD WORLD PORCUPINES (HYSTRICIDAE) (6/11)  
African Brush-tailed Porcupine (*Atherurus africanus*)  
Cape Porcupine (*Hystrix africaeaustralis*)  
Malayan Porcupine (*H.brachyura*)  
Crested Porcupine (*H.cristata*)  
Indian Crested Porcupine (*H.indica*)

Asian Long-tailed Porcupine (*Trichys fasciculata*)  
DASSIE RATS (PETROMURIDAE) (1/1)  
Noki (*Petromus typicus*)  
CANE RATS (THRYONOMYIDAE) (1/2)  
Greater Cane Rat (*Thryonomys swinderianus*)  
CHINCHILLA RATS (ABROCOMIDAE) (1/10)  
Bennett's Chinchilla Rat (*Abrocoma bennettii*)  
TUCO-TUCOS (CTENOMYIDAE) (3/68)  
Dune Tuco-tuco (*Ctenomys australis*)  
Andean Tuco-tuco (*C.opimus*)  
Talas Tuco-tuco (*C.talarum*)  
SPINY RATS AND HUTIAS (ECHIMYIDAE) (14/101)  
Hispaniolan Hutia (*Plagiodontia aedium*)  
Amazon Bamboo Rat (*Dactylomys dactylinus*)  
Colombian Rufous Tree-rat (*Diplomys caniceps*)  
Central American Rufous Tree-rat (*D.labilis*)  
Red-nosed Armored Tree-rat (*Makalata didelphoides*)  
Ferreira's Spiny Tree-rat (*Mesomys hispidus*)  
Black Toro (*Tromomys grandis*)  
Armored Rat (*Hoplomys gymnurus*)  
Coypu (*Myocastor coypus*)  
Short-tailed Spiny-rat (*Proechimys breviceuda*)  
O'Connell's Spiny-rat (*P.oconnelli*)  
Tomes's Spiny-rat (*P.semispinosus*)  
Simons's Spiny-rat (*P.simonsi*)  
Lagoa Santa Punare (*Thrichomys apereoides*)  
OCTODONTS AND DEGUS (OCTODONTIDAE) (2/15)  
Common Degu (*Octodon degus*)  
Coruro (*Spalacopus cyanus*)  
MOUNTAIN BEAVERS (APLODONTIIDAE) (1/1)  
Mountain Beaver (*Aplodontia rufa*)  
DORMICE (GLIRIDAE) (10/30)  
Japanese Dormouse (*Glirulus japonicus*)  
European Fat Dormouse (*Glis glis*)  
Lorraine's African Dormouse (*Graphiurus lorraineus*)  
Nagtglas's African Dormouse (*G.nagtglasii*)  
Spectacled African Dormouse (*G.ocularis*)  
Rupicolous African Dormouse (*G.rupicola*)

Eurasian Forest Dormouse (*Dryomys nitedula*)  
European Garden Dormouse (*Eliomys quercinus*)  
Hazel Dormouse (*Muscardinus avellanarius*)  
Roach's Mouse-tailed Dormouse (*Myomimus roachi*)  
SQUIRRELS (SCIURIDAE) (190/321)  
Ear-spot Squirrel (*Callosciurus adamsi*)  
Gray-bellied Squirrel (*C.caniceps*)  
Pallas's Squirrel (*C.erythraeus*)  
Finlayson's Squirrel (*C.finlaysonii*)  
Black-striped Squirrel (*C.nigrovittatus*)  
Plantain Squirrel (*C.notatus*)  
Borneo Black-banded Squirrel (*C.orestes*)  
Prevost's Squirrel (*C.prevestii*)  
Irrawaddy Squirrel (*C.pygerythrus*)  
Orange-bellied Himalayan Squirrel (*Dremomys lokriah*)  
Perny's Long-nosed Squirrel (*D.pernyi*)  
Asian Red-cheeked Squirrel (*D.rufigenis*)  
Least Pygmy Squirrel (*Exilisciurus exilis*)  
Tufted Pygmy Squirrel (*E.whiteheadi*)  
Sculptor Squirrel (*Glyphotes simus*)  
Three-striped Ground Squirrel (*Lariscus insignis*)  
Indochinese Ground Squirrel (*Menetes berdmorei*)  
Black-eared Squirrel (*Nannosciurus melanotis*)  
Whitish Dwarf Squirrel (*Prosciurillus leucomus*)  
Celebes Dwarf Squirrel (*P.murinus*)  
Brooke's Squirrel (*Sundasciurus brookei*)  
Bornean Mountain Ground Squirrel (*S.everetti*)  
Horse-tailed Squirrel (*S.hippurus*)  
Jentink's Squirrel (*S.jentinki*)  
Low's Squirrel (*S.lowii*)  
Robinson's Squirrel (*S.robinsoni*)  
Slender Squirrel (*S.tenuis*)  
Maritime Striped Squirrel (*Tamiops maritimus*)  
Himalayan Striped Squirrel (*T.mcclellandii*)  
Cambodian Striped Squirrel (*T.rodolphii*)  
Swinhoe's Striped Squirrel (*T.swinhoei*)  
Layard's Palm Squirrel (*Funambulus layardi*)  
Indian Palm Squirrel (*F.palmarum*)

Northern Palm Squirrel (*F.pennantii*)  
Dusky Palm Squirrel (*F.sublineatus*)  
Jungle Palm Squirrel (*F.tristriatus*)  
Pale Giant Squirrel (*Ratufa affinis*)  
Black Giant Squirrel (*R.bicolor*)  
Indian Giant Squirrel (*R.indica*)  
Sri Lankan Giant Squirrel (*R.macroura*)  
Neotropical Pygmy Squirrel (*Sciurillus pusillus*)  
Black Flying Squirrel (*Aeromys tephromelas*)  
Thomas's Flying Squirrel (*A.thomasi*)  
Humboldt's Flying Squirrel (*Glaucomys oregonensis*)  
Northern Flying Squirrel (*G.sabrinus*)  
Southern Flying Squirrel (*G.volans*)  
Particolored Flying Squirrel (*Hylopetes alboniger*)  
Red-cheeked Flying Squirrel (*H.spadiceus*)  
Javanese Flying Squirrel (*Iomys horsfieldii*)  
Morris's Flying Squirrel (*Olisthomys morrisoni*)  
Red-and-white Giant Flying Squirrel (*Petaurista alborufus*)  
Spotted Giant Flying Squirrel (*P.elegans*)  
Formosan Giant Flying Squirrel (*P.grandis*)  
Taiwan Giant Flying Squirrel (*P.lena*)  
Japanese Giant Flying Squirrel (*P.leucogenys*)  
Bhutan Giant Flying Squirrel (*P.nobilis*)  
Red Giant Flying Squirrel (*P.petaurista*)  
Indian Giant Flying Squirrel (*P.philippensis*)  
Whiskered Flying Squirrel (*Petinomys genibarbis*)  
Japanese Flying Squirrel (*Pteromys momonga*)  
Siberian Flying Squirrel (*P.volans*)  
Smoky Flying Squirrel (*Pteromyscus pulverulentus*)  
Complex-toothed Flying Squirrel (*Trogopterus xanthipes*)  
Central American Dwarf Squirrel (*Microsciurus alfari*)  
Amazon Dwarf Squirrel (*M.flaviventer*)  
Santander Dwarf Squirrel (*M.santanderensis*)  
Abert's Squirrel (*Sciurus aberti*)  
Guianan Squirrel (*S.aestuans*)  
Allen's Squirrel (*S.alleni*)  
Caucasian Squirrel (*S.anomalus*)  
Arizona Gray Squirrel (*S.arizonensis*)

Red-bellied Squirrel (*S.aureogaster*)  
Brazilian Squirrel (*S.brasiliensis*)  
Eastern Gray Squirrel (*S.carolinensis*)  
Collie's Squirrel (*S.colliaei*)  
Deppe's Squirrel (*S.deppei*)  
Red-tailed Squirrel (*S.granatensis*)  
Western Gray Squirrel (*S.griseus*)  
Bolivian Squirrel (*S.ignitus*)  
Northern Amazon Red Squirrel (*S.igniventris*)  
Japanese Squirrel (*S.lis*)  
Mexican Fox Squirrel (*S.nayaritensis*)  
Eastern Fox Squirrel (*S.niger*)  
Peters's Squirrel (*S.ocolatus*)  
Andean Squirrel (*S.pucheranii*)  
Richmond's Squirrel (*S.richmondi*)  
Southern Amazon Red Squirrel (*S.spadiceus*)  
Guayaquil Squirrel (*S.stramineus*)  
Variegated Squirrel (*S.variegatoides*)  
Eurasian Red Squirrel (*S.vulgaris*)  
Yucatan Squirrel (*S.yucatanensis*)  
Bangs's Mountain Squirrel (*Syntheosciurus brochus*)  
Douglas's Squirrel (*Tamiasciurus douglasii*)  
Fremont's Squirrel (*T.fremonti*)  
North American Red Squirrel (*T.hudsonicus*)  
Harris's Antelope Squirrel (*Ammospermophilus harrisi*)  
Texas Antelope Squirrel (*A.interpres*)  
White-tailed Antelope Squirrel (*A.leucurus*)  
Nelson's Antelope Squirrel (*A.nelsoni*)  
Common Golden-mantled Ground Squirrel (*Callospermophilus lateralis*)  
Cascade Golden-mantled Ground Squirrel (*C.saturatus*)  
Gunnison's Prairie Dog (*Cynomys gunnisoni*)  
White-tailed Prairie Dog (*C.leucurus*)  
Black-tailed Prairie Dog (*C.ludovicianus*)  
Mexican Prairie Dog (*C.mexicanus*)  
Utah Prairie Dog (*C.parvidens*)  
Mexican Ground Squirrel (*Ictidomys mexicanus*)  
Rio Grande Ground Squirrel (*I.parvidens*)  
Thirteen-lined Ground Squirrel (*I.tridecemlineatus*)

Alaska Marmot (*Marmota broweri*)  
Hoary Marmot (*M.caligata*)  
Yellow-bellied Marmot (*M.flaviventris*)  
Himalayan Marmot (*M.himalayana*)  
Alpine Marmot (*M.marmota*)  
Woodchuck (*M.monax*)  
Olympic Marmot (*M.olympus*)  
Tarbagan Marmot (*M.sibirica*)  
Vancouver Island Marmot (*M.vancouverensis*)  
California Ground Squirrel (*Otospermophilus beecheyi*)  
Common Rock Squirrel (*O.variegatus*)  
Franklin's Ground Squirrel (*Poliocitellus franklinii*)  
Alashan Ground Squirrel (*Spermophilus alaschanicus*)  
European Ground Squirrel (*S.citellus*)  
Pallid Ground Squirrel (*S.pallidicauda*)  
Asia Minor Ground Squirrel (*S.xanthoprymnus*)  
Uinta Ground Squirrel (*Uroditellus armatus*)  
Belding's Ground Squirrel (*U.beldingi*)  
Idaho Ground Squirrel (*U.brunneus*)  
Merriam's Ground Squirrel (*U.canus*)  
Columbian Ground Squirrel (*U.columbianus*)  
Wyoming Ground Squirrel (*U.elegans*)  
Piute Ground Squirrel (*U.mollis*)  
Arctic Ground Squirrel (*U.parryii*)  
Richardson's Ground Squirrel (*U.richardsonii*)  
Townsend's Ground Squirrel (*U.townsendii*)  
Long-tailed Ground Squirrel (*U.undulatus*)  
Washington Ground Squirrel (*U.washingtoni*)  
Mohave Ground Squirrel (*Xerospermophilus mohavensis*)  
Perote Ground Squirrel (*X.perotensis*)  
Spotted Ground Squirrel (*X.spilosoma*)  
Round-tailed Ground Squirrel (*X.tereticaudus*)  
African Palm Squirrel (*Epixerus ebii*)  
Carruther's Mountain Squirrel (*Funisciurus carruthersi*)  
Congo Rope Squirrel (*F.congicus*)  
Lady Burton's Rope Squirrel (*F.isabella*)  
Red-cheeked Rope Squirrel (*F.leucogenys*)  
Fire-footed Rope Squirrel (*F.pyrropus*)

Gambian Sun Squirrel (*Heliosciurus gambianus*)  
Red-legged Sun Squirrel (*H.rufobrachium*)  
Ruwenzori Sun Squirrel (*H.ruwenzorii*)  
Zanj Sun Squirrel (*H.undulatus*)  
Alexander's Bush Squirrel (*Paraxerus alexandri*)  
Boehm's Bush Squirrel (*P.boehmi*)  
Smith's Bush Squirrel (*P.cepapi*)  
Ochre Bush Squirrel (*P.ochraceus*)  
Red Bush Squirrel (*P.palliatus*)  
Green Bush Squirrel (*P.poensis*)  
Swynnerton's Bush Squirrel (*P.vexillarius*)  
Slender-tailed Squirrel (*Protoxerus aubinnii*)  
Forest Giant Squirrel (*P.stangeri*)  
Pere David's Rock Squirrel (*Sciurotamias davidianus*)  
Siberian Chipmunk (*Eutamias sibiricus*)  
Alpine Chipmunk (*Neotamias alpinus*)  
Yellow-pine Chipmunk (*N.amoenus*)  
Gray-footed Chipmunk (*N.canipes*)  
Gray-collared Chipmunk (*N.cinereicollis*)  
Crater Chipmunk (*N.cratericus*)  
Cliff Chipmunk (*N.dorsalis*)  
Merriam's Chipmunk (*N.merriami*)  
Least Chipmunk (*N.minimus*)  
California Chipmunk (*N.obscurus*)  
Yellow-cheeked Chipmunk (*N.ochrogenys*)  
Palmer's Chipmunk (*N.palmeri*)  
Panamint Chipmunk (*N.panamintinus*)  
Long-eared Chipmunk (*N.quadrimaculatus*)  
Colorado Chipmunk (*N.quadrivittatus*)  
Red-tailed Chipmunk (*N.ruficaudus*)  
Hopi Chipmunk (*N.rufus*)  
Shadow Chipmunk (*N.senex*)  
Siskiyou Chipmunk (*N.siskiyou*)  
Sonoma Chipmunk (*N.sonomae*)  
Lodgepole Chipmunk (*N.speciosus*)  
Townsend's Chipmunk (*N.townsendii*)  
Uinta Chipmunk (*N.umbrinus*)  
Eastern Chipmunk (*Tamias striatus*)

Barbary Ground Squirrel (*Atlantoxerus getulus*)  
Striped Ground Squirrel (*Euxerus erythropus*)  
South African Ground Squirrel (*Geosciurus inauris*)  
Damara Ground Squirrel (*G.princeps*)  
Unstriped Ground Squirrel (*Xerus rutilus*)  
ANOMALURES (ANOMALURIDAE) (4/6)  
Beecroft's Anomalure (*Anomalurus beecrofti*)  
Lord Derby's Anomalure (*A.derbianus*)  
Lesser Anomalure (*A.pusillus*)  
Long-eared Pygmy Anomalure (*Idiurus macrotis*)  
SPRINGHARES (PEDETIDAE) (2/2)  
Southern African Springhare (*Pedetes capensis*)  
East African Springhare (*P.surdaster*)  
FLIGHTLESS ANOMALURES (ZENKERELLIDAE) (1/1)  
Zenkerella (*Zenkerella insignis*)  
BEAVERS (CASTORIDAE) (2/2)  
North American Beaver (*Castor canadensis*)  
Eurasian Beaver (*C.fiber*)  
POCKET GOPHERS (GEOMYIDAE) (18/42)  
Yellow-faced Pocket Gopher (*Cratogeomys castanops*)  
Oriental Basin Pocket Gopher (*C.fulvescens*)  
Smoky Pocket Gopher (*C.fumosus*)  
Merriam's Pocket Gopher (*C.merriami*)  
Desert Pocket Gopher (*Geomys arenarius*)  
Attwater's Pocket Gopher (*G.attwateri*)  
Baird's Pocket Gopher (*G.breviceps*)  
Plains Pocket Gopher (*G.bursarius*)  
Jones's Pocket Gopher (*G.knoxjonesi*)  
Texas Pocket Gopher (*G.personatus*)  
Strecker's Pocket Gopher (*G.streckeri*)  
Llano Pocket Gopher (*G.texensis*)  
Botta's Pocket Gopher (*Thomomys bottae*)  
Camas Pocket Gopher (*T.bulbivorus*)  
Western Pocket Gopher (*T.mazama*)  
Mountain Pocket Gopher (*T.monticolus*)  
Northern Pocket Gopher (*T.talpoides*)  
Townsend's Pocket Gopher (*T.townsendii*)  
KANGAROO RATS AND POCKET MICE (HETEROMYIDAE) (43/70)

Agile Kangaroo Rat (*Dipodomys agilis*)  
California Kangaroo Rat (*D.californicus*)  
Gulf Coast Kangaroo Rat (*D.compactus*)  
Desert Kangaroo Rat (*D.deserti*)  
Texas Kangaroo Rat (*D.elator*)  
Heermann's Kangaroo Rat (*D.heermanni*)  
Giant Kangaroo Rat (*D.ingens*)  
Merriam's Kangaroo Rat (*D.merriami*)  
Chisel-toothed Kangaroo Rat (*D.microps*)  
San Joaquin Kangaroo Rat (*D.nitratoides*)  
Ord's Kangaroo Rat (*D.ordii*)  
Panamint Kangaroo Rat (*D.panamintinus*)  
Phillips's Kangaroo Rat (*D.phillipsii*)  
Dulzura Kangaroo Rat (*D.simulans*)  
Banner-tailed Kangaroo Rat (*D.spectabilis*)  
Stephens's Kangaroo Rat (*D.stephensi*)  
Narrow-faced Kangaroo Rat (*D.venustus*)  
Dark Kangaroo Mouse (*Microdipodops megacephalus*)  
Pallid Kangaroo Mouse (*M.pallidus*)  
Desmarest's Spiny Pocket Mouse (*Heteromys desmarestianus*)  
Gaumer's Spiny Pocket Mouse (*H.gaumeri*) - not by me  
Mexican Spiny Pocket Mouse (*H.irroratus*)  
Mountain Spiny Pocket Mouse (*H.oresterus*)  
Painted Spiny Pocket Mouse (*H.pictus*)  
Salvin's Spiny Pocket Mouse (*H.salvini*)  
Dalquest's Pocket Mouse (*Chaetodipus ammophilus*)  
Little Desert Pocket Mouse (*C.arenarius*)  
Bailey's Pocket Mouse (*C.baileyi*)  
California Pocket Mouse (*C.californicus*)  
San Diego Pocket Mouse (*C.fallax*)  
Long-tailed Pocket Mouse (*C.formosus*)  
Hispid Pocket Mouse (*C.hispidus*)  
Rock Pocket Mouse (*C.intermedius*)  
Nelson's Coarse-haired Pocket Mouse (*C.nelsoni*)  
Desert Pocket Mouse (*C.penicillatus*)  
Southern Sinaloan Pocket Mouse (*C.pernix*)  
Peninsular Pocket Mouse (*C.rudinoris*)  
Cerralvo Island Pocket Mouse (*C.siccus*)

Spiny Pocket Mouse (*C.spinatus*)  
Arizona Pocket Mouse (*Perognathus amplus*) (?)  
Silky Pocket Mouse (*P.flavus*)  
San Joaquin Pocket Mouse (*P.inornatus*)  
Little Pocket Mouse (*P.longimembris*)  
Merriam's Pocket Mouse (*P.merriami*)  
Great Basin Pocket Mouse (*P.mollipilosus*)  
JERBOAS (DIPODIDAE) (13/41)  
Great Jerboa (*Allactaga major*)  
Balikun Jerboa (*Orientalactaga balikunica*)  
Gobi Jerboa (*O.bullata*)  
Siberian Jerboa (*O.sibirica*)  
Five-toed Pygmy Jerboa (*Cardiocranium paradoxus*)  
Thick-tailed Pygmy Jerboa (*Salpingotus crassicauda*)  
Kozlov's Pygmy Jerboa (*S.kozlovi*)  
Northern Three-toed Jerboa (*Dipus sagitta*)  
African Hammada Jerboa (*Jaculus hirtipes*)  
Lesser Egyptian Jerboa (*J.jaculus*)  
Arabian Jerboa (*J.loftusi*)  
Mongolian Three-toed Jerboa (*Stylodipus andrewsi*)  
Long-eared Jerboa (*Euchoreutes naso*)  
BIRCH MICE (SMINTHIDAE) (1/19)  
Northern Birch Mouse (*Sicista betulina*)  
JUMPING MICE (ZAPODIDAE) (4/11)  
Western Woodland Jumping Mouse (*Napaeozapus abietorum*)  
Northern Meadow Jumping Mouse (*Zapus hudsonius*)  
Northwestern Jumping Mouse (*Z.saltator*)  
Northern Pacific Jumping Mouse (*Z.trinotatus*)  
HAMSTERS, VOLES, LEMMINGS, AND ALLIES (CRICETIDAE) (167/860)  
Eurasian Water Vole (*Arvicola amphibius*)  
Southwestern Water Vole (*A.sapidus*)  
Gobi Altai Mountain Vole (*Alticola barakshin*)  
Mongolian Mountain Vole (*A.semicanus*)  
Sichuan Red-backed Vole (*Antelomys chinensis*)  
Southern Red-backed Vole (*Clethrionomys gapperi*)  
Bank Vole (*C.glareolus*)  
Northern Red-backed Vole (*C.rutilus*)  
Gray Red-backed Vole (*Craseomys rufocanus*)

Pere David's Red-backed Vole (*Eothenomys melanogaster*)  
Nearctic Collared Lemming (*Dicrostonyx groenlandicus*)  
Nearctic Brown Lemming (*Lemmus trimucronatus*)  
Southern Bog Lemming (*Synaptomys cooperi*)  
Reed Vole (*Alexandromys fortis*)  
Japanese Grass Vole (*A. montebelli*)  
Root Vole (*A. oeconomicus*)  
European Snow Vole (*Chionomys nivalis*)  
Brandt's Vole (*Lasiopodomys brandtii*)  
Sagebrush Vole (*Lemmiscus curtatus*)  
Short-tailed Field Vole (*Microtus agrestis*)  
Common Vole (*M. arvalis*)  
California Vole (*M. californicus*)  
Gray-tailed Vole (*M. canicaudus*)  
Western Meadow Vole (*M. drummondii*)  
Mediterranean Field Vole (*M. lavernedii*)  
Long-tailed Vole (*M. longicaudus*)  
Mexican Vole (*M. mexicanus*)  
Mogollon Vole (*M. mogollonensis*)  
Montane Vole (*M. montanus*)  
Eastern Meadow Vole (*M. pennsylvanicus*)  
Woodland Vole (*M. pinetorum*)  
East European Gray Vole (*M. rossiaemeridionalis*)  
Common Pine Vole (*M. subterraneus*)  
Townsend's Vole (*M. townsendii*)  
Irene Mountain Vole (*Neodon irene*)  
Blyth's Mountain Vole (*N. leucurus*)  
Round-tailed Muskrat (*Neofiber alleni*)  
Common Muskrat (*Ondatra zibethicus*)  
Martino's Dinaric Vole (*Dinaromys bogdanovi*)  
Striped Dwarf Hamster (*Cricetulus barabensis*)  
Long-tailed Dwarf Hamster (*C. longicaudatus*)  
Common Hamster (*Cricetus cricetus*)  
Romanian Hamster (*Mesocricetus newtoni*)  
Gray Dwarf Hamster (*Nothocricetulus migratorius*)  
Roborovski's Desert Hamster (*Phodopus roborovskii*)  
Northern Pygmy Mouse (*Baiomys taylori*)  
Short-tailed Singing Mouse (*Scotinomys teguina*)

Long-tailed Singing Mouse (*S.xerampelinus*)  
White-throated Woodrat (*Neotoma albigula*)  
Bryant's Woodrat (*N.bryanti*)  
Bushy-tailed Woodrat (*N.cinerea*)  
Eastern Woodrat (*N.floridana*)  
Dusky-footed Woodrat (*N.fuscipes*)  
Goldman's Woodrat (*N.goldmani*)  
Desert Woodrat (*N.lepida*)  
Big-eared Woodrat (*N.macrotis*)  
Allegheny Woodrat (*N.magister*)  
Mexican Woodrat (*N.mexicana*)  
Southern Plains Woodrat (*N.micropus*)  
Sonoran Woodrat (*N.phenax*)  
Stephens's Woodrat (*N.stephensi*) (?)  
Golden Mouse (*Ochrotomys nuttalli*)  
Chihuahuan Grasshopper Mouse (*Onychomys arenicola*)  
Northern Grasshopper Mouse (*O.leucogaster*)  
Southern Grasshopper Mouse (*O.torridus*)  
Nelson's Big-toothed Deermouse (*Megadontomys nelsoni*)  
Volcano Deermouse (*Neotomodon alstoni*)  
Osgood's Deermouse (*Osgoodomys banderanus*)  
Oaxacan Rock Deermouse (*Peromyscus amplus*)  
Texas Deermouse (*P.attwateri*)  
Orizaba Deermouse (*P.beatae*)  
Brush Deermouse (*P.boyliei*)  
Perote Deermouse (*P.bullatus*)  
California Deermouse (*P.californicus*)  
Jalisco Deermouse (*P.chrysopus*)  
Tamaulipas White-ankled Deermouse (*P.collinus*) (?)  
Cordillera Deermouse (*P.cordillerae*)  
Canyon Deermouse (*P.crinitus*)  
Southern Rock Deermouse (*P.difficilis*)  
Cactus Deermouse (*P.eremicus*)  
Southern Baja Deermouse (*P.eva*)  
Northern Baja Deermouse (*P.fraterculus*)  
Blackish Deermouse (*P.furvus*)  
Gambel's Deermouse (*P.gambelii*)  
Cotton Deermouse (*P.gossypinus*)

Saxicoline Deermouse (*P.gratus*)  
Hooper's Deermouse (*P.hooperi*)  
Transvolcanic Deermouse (*P.hylocetes*)  
Northwestern Deermouse (*P.keeni*)  
Southern Deermouse (*P.labecula*)  
Northern White-ankled Deermouse (*P.laceianus*)  
White-footed Deermouse (*P.leucopus*)  
Tehuantepec Deermouse (*P.leucurus*)  
Nimble-footed Deermouse (*P.levipes*)  
Eastern Deermouse (*P.maniculatus*)  
Broad-faced Deermouse (*P.megalops*)  
Black-eared Deermouse (*P.melanotis*)  
Black-tailed Deermouse (*P.melanurus*)  
Merriam's Deermouse (*P.merriami*)  
Northern Rock Deermouse (*P.nasutus*)  
Nicaraguan Deermouse (*P.nicaraguae*)  
Talamancan Deermouse (*P.nudipes*)  
Southern White-ankled Deermouse (*P.pectoralis*)  
Oldfield Deermouse (*P.polionotus*)  
Sinaloan Deermouse (*P.simulus*)  
Western Deermouse (*P.sonorienis*)  
Gleaning Deermouse (*P.spicilegus*)  
Totontepec Deermouse (*P.totontepecus*)  
Pinyon Deermouse (*P.truei*)  
Yucatan Deermouse (*P.yucatanicus*)  
Oaxacan Highlands Harvest Mouse (*Reithrodontomys albilabris*)  
Short-nosed Harvest Mouse (*R.brevirostris*)  
Volcano Harvest Mouse (*R.chrysopsis*)  
Talamancan Harvest Mouse (*R.creper*)  
Fulvous Harvest Mouse (*R.fulvescens*)  
Chiriquian Harvest Mouse (*R.garichensis*)  
Slender Harvest Mouse (*R.gracilis*)  
Western Harvest Mouse (*R.megalotis*)  
Mexican Harvest Mouse (*R.mexicanus*)  
Plains Harvest Mouse (*R.montanus*)  
Sumichrast's Harvest Mouse (*R.sumichrasti*)  
Andean Soft-haired Mouse (*Abrothrix andina*)  
Hairy Soft-haired Mouse (*A.hirta*)

Olive Soft-haired Mouse (*A.olivacea*)  
Sanborn's Soft-haired Mouse (*A.sanborni*)  
Yungas Grass Mouse (*Akodon aerosus*)  
White-bellied Grass Mouse (*A.albiventer*)  
Azara's Grass Mouse (*A.azarae*)  
Kemp's Grass Mouse (*Deltamys kemp*)  
Red Hocicudo (*Oxymycterus rufus*)  
Elegant Rice Rat (*Euryoryzomys nitidus*)  
Alfaro's Rice Rat (*Handleyomys alfaro*)  
Guerrero Rice Rat (*H.guerrerensis*)  
Western Amazonian Rice Rat (*Hylaeamys perenensis*)  
Yungas Rice Rat (*H.yunganus*)  
Black-and-Yellow Rice Rat (*Melanomys chrysomelas*)  
White-throated Rice Rat (*Nephelomys albigularis*)  
Boquete Rice Rat (*N.devius*)  
Gray-bellied Rice Rat (*N.moerex*)  
White-bellied Arboreal Rice Rat (*Oecomys bicolor*)  
Foothill Arboreal Rice Rat (*O.superans*)  
Tschudi's Pygmy Rice Rat (*Oligoryzomys destructor*)  
Yellow Pygmy Rice Rat (*O.flavescens*) (†)  
Fulvous Pygmy Rice Rat (*O.fulvescens*)  
Black-footed Pygmy Rice Rat (*O.nigripes*)  
Northeastern Marsh Rice Rat (*Oryzomys palustris*)  
Northwestern Marsh Rice Rat (*O.texensis*)  
Harris's Rice Rat (*Tanyuromys aphrastus*)  
Long-whiskered Rice Rat (*Transandinomys bolivaris*)  
Crafty Vesper Mouse (*Calomys callidus*)  
Large Vesper Mouse (*C.callosus*)  
Small Vesper Mouse (*C.laucha*)  
Drylands Vesper Mouse (*C.musculus*)  
Chaco Pericote (*Graomys chacoensis*)  
Common Pericote (*G.griseoflavus*)  
Yellow-rumped Leaf-eared Mouse (*Phyllotis xanthopygus*)  
Arizona Cotton Rat (*Sigmodon arizonae*)  
Tawny-bellied Cotton Rat (*S.fulvivent*)  
Hispid Cotton Rat (*S.hispidus*)  
Yellow-nosed Cotton Rat (*S.ochrognathus*)  
Peruvian Cotton Rat (*S.peruanus*)

Montane Cotton Rat (*S.zanjonensis*)  
Gardner's Climbing Rat (*Rhipidomys gardneri*)  
White-footed Climbing Rat (*R.leucodactylus*)  
Splendid Climbing Rat (*R.nitela*)  
Strong-tailed Oldfield Mouse (*Thomasomys ischyurus*)  
Taczanowski's Oldfield Mouse (*T.taczanowskii*) (?)  
Sumichrast's Vesper Rat (*Nyctomys sumichrasti*)  
Yucatan Vesper Rat (*Otonyctomys hatti*)  
Big-eared Climbing Rat (*Ototylomys phyllotis*)  
Peters's Climbing Rat (*Tylomys nudicaudus*)  
OLD WORLD MICE AND RATS (MURIDAE) (168/851)  
Northeast African Spiny Mouse (*Acomys cahirinus*)  
John's Spiny Mouse (*A.johannis*)  
Louise's Spiny Mouse (*A.louisae*)  
Mullah Spiny Mouse (*A.mullah*)  
Wilson's Spiny Mouse (*A.wilsoni*)  
Short-tailed Brush-furred Rat (*Lophuromys brevicaudus*) (?)  
Black-clawed Brush-furred Rat (*L.melanonyx*)  
Ammodile (*Ammodillus imbellis*)  
Pouched Gerbil (*Desmodilliscus braueri*)  
Pleasant Gerbil (*Gerbillus amoenus*)  
Cheesman's Gerbil (*G.cheesmani*)  
Lesser Egyptian Gerbil (*G.gerbillus*)  
Pygmy Gerbil (*G.henleyi*)  
Balochistan Gerbil (*G.nanus*)  
Nigerian Gerbil (*G.nigeriae*)  
Least Gerbil (*G.pusillus*)  
Tarabul Gerbil (*G.tarabuli*)  
Arabian Jird (*Meriones arimalius*)  
Indian Desert Jird (*M.hurrianae*)  
Eastern Midday Jird (*M.psammophilus*)  
Mongolian Jird (*M.unguiculatus*)  
Great Gerbil (*Rhombomys opimus*)  
Congo Tateril (*Taterillus congicus*)  
Cape Short-tailed Gerbil (*Desmodillus auricularis*)  
Kemp's Gerbil (*Gerbilliscus kempii*)  
Bushveld Gerbil (*G.leucogaster*)  
Paeba Hairy-footed Gerbil (*G.paeba*)

Fringe-tailed Gerbil (*G.robustus*)  
Indian Gerbil (*Tatera indica*)  
Maned Rat (*Lophiomys imhausi*)  
Striped Field Mouse (*Apodemus agrarius*)  
Small Japanese Field Mouse (*A.argenteus*)  
Chevrier's Field Mouse (*A.chevrieri*)  
South China Field Mouse (*A.draco*)  
Western Broad-toothed Field Mouse (*A.epimelas*)  
Yellow-necked Field Mouse (*A.flavicollis*)  
Large-eared Field Mouse (*A.latronum*) (?)  
Korean Field Mouse (*A.peninsulae*)  
Taiwan Field Mouse (*A.semotus*)  
Large Japanese Field Mouse (*A.speciosus*)  
Long-tailed Field Mouse (*A.sylvaticus*)  
Herb Field Mouse (*A.uralensis*)  
Abyssinian Grass Rat (*Arvicanthis abyssinicus*)  
Blick's Grass Rat (*A.blicki*)  
Neumann's Grass Rat (*A.neumanni*)  
African Grass Rat (*A.niloticus*)  
Common Defua Rat (*Dephomys defua*)  
Indian Bush Rat (*Golunda ellioti*)  
East African Thicket Rat (*Grammomys ibeanus*)  
Father Basilio's Striped Mouse (*Hybomys basilii*)  
Typical Striped Grass Mouse (*Lemniscomys striatus*)  
Heuglin's Striped Grass Mouse (*L.zebra*)  
Namaqua Rock Rat (*Micaelamys namaquensis*)  
West-central Four-striped Grass Rat (*Rhabdomys bechuanae*)  
Mesic Four-striped Grass Rat (*R.dilectus*)  
Xeric Four-striped Grass Rat (*R.pumilio*)  
Black-tailed Thallomys (*Thallomys nigricauda*)  
Western Rainforest Thicket Rat (*Thamnomys poensis*) (?)  
Liberian Forest Striped Mouse (*Typomys planifrons*)  
Indomalayan Pencil-tailed Tree Mouse (*Chiropodomys gliroides*)  
Greater Pencil-tailed Tree Mouse (*C.major*)  
Broad-headed Tree Mouse (*Chiruromys lamia*)  
Brush-tailed Rabbit Rat (*Conilurus penicillatus*)  
Sundaic Rane Mouse (*Haeromys pusillus*)  
Common Water Rat (*Hydromys chrysogaster*)

Central Short-tailed Mouse (*Leggadina forresti*)  
Long-footed Tree Mouse (*Lorentzimys nouhuysii*)  
Australian Broad-toothed Rat (*Mastacomys fuscus*)  
Grassland Mosaic-tailed Rat (*Melomys burtoni*)  
Cape York Mosaic-tailed Rat (*M.capensis*)  
Fawn-footed Mosaic-tailed Rat (*M.cervinipes*)  
Black-tailed Mosaic-tailed Rat (*M.rufescens*)  
Black-footed Tree Rat (*Mesembriomys gouldii*)  
Golden-backed Tree Rat (*M.macrurus*)  
Spinifex Hopping Mouse (*Notomys alexis*)  
Mitchell's Hopping Mouse (*N.mitchellii*)  
Common Lowland Mosaic-tailed Rat (*Paramelomys platyops*)  
Bruijn's Brush Mouse (*Pogonomelomys bruijnii*)  
Loria's Tree Mouse (*Pogonomys loriae*)  
Chestnut Tree Mouse (*P.macrourus*)  
Gray-bellied Tree Mouse (*P.sylvestris*)  
Ash-gray Mouse (*Pseudomys albocinereus*)  
Silky Mouse (*P.apodemoides*)  
Plains Mouse (*P.australis*)  
Bolam's Mouse (*P.bolami*)  
Western Pebble Mouse (*P.chapmani*)  
Northern Delicate Mouse (*P.delicatulus*)  
Desert Mouse (*P.desertor*)  
Australian Smoky Mouse (*P.fumeus*)  
Eastern Chestnut Mouse (*P.gracilicaudatus*)  
Sandy Inland Mouse (*P.hermannsburgensis*)  
Central Pebble Mouse (*P.johnsoni*)  
Eastern Delicate Mouse (*P.mimulus*)  
Western Chestnut Mouse (*P.nanus*)  
New Holland Mouse (*P.novaehollandiae*)  
Western Mouse (*P.occidentalis*)  
Hastings River Mouse (*P.oralis*)  
Eastern Pebble Mouse (*P.patrius*)  
Pilbara Delicate Mouse (*P.pilbarensis*)  
Heath Mouse (*P.shortridgei*)  
White-tailed Giant Rat (*Uromys caudimaculatus*)  
False Water Rat (*Xeromys myoides*)  
Common Australian Rock Rat (*Zyzomys argurus*)

Arnhem Land Rock Rat (*Z.maini*)  
Kimberley Rock Rat (*Z.woodwardi*)  
Edwards's Swamp Rat (*Malacomys edwardsi*)  
White-tailed Wood Rat (*Madromys blanfordi*)  
Sand-colored Soft-furred Rat (*Millardia gleadowi*)  
Little Indian Field Mouse (*Mus booduga*)  
Cook's Mouse (*M.cookii*)  
Servant Mouse (*M.famulus*)  
Macedonian Mouse (*M.macedonicus*)  
Sub-Saharan Pygmy Mouse (*M.minutoides*) (?)  
House Mouse (*M.musculus*)  
Flat-haired Mouse (*M.platythrix*)  
Mound-building Mouse (*M.spicilegus*)  
Western Mediterranean Mouse (*M.spretus*)  
Heller's Vlei Rat (*Otomys helleri*)  
Southern African Vlei Rat (*O.irroratus*)  
Ethiopian Vlei Rat (*O.typus*)  
Karoo Vlei Rat (*O.unisulcatus*)  
Allen's Wood Mouse (*Hylomyscus alleni*)  
West African Wood Mouse (*H.simus*)  
Walter Verheyen's Wood Mouse (*H.walterverheyeni*)  
Southern African Multimammate Mouse (*Mastomys coucha*)  
Natal Multimammate Mouse (*M.natalensis*)  
De Graaff's Soft-furred Mouse (*Praomys degraaffi*)  
Misonne's Soft-furred Mouse (*P.misonnei*)  
Cameroon Soft-furred Mouse (*P.morio*)  
West African Soft-furred Mouse (*P.rostratus*)  
Lesser Bandicoot Rat (*Bandicota bengalensis*)  
Bowers's White-toothed Rat (*Berylmys bowersii*)  
Ryukyu Islands Tree Rat (*Diplothrix legata*)  
Gray Tree Rat (*Lenothrix cana*)  
Indomalayan Long-tailed Giant Rat (*Leopoldamys sabanus*)  
Bartels's Javan Spiny Rat (*Maxomys bartelsii*)  
Hellwald's Sulawesi Spiny Rat (*M.hellwaldii*)  
Musschenbroek's Sulawesi Spiny Rat (*M.musschenbroekii*)  
Rajah Sundaic Spiny Rat (*M.rajah*)  
Indomalayan Spiny Rat (*M.surifer*)  
Whitehead's Sundaic Spiny Rat (*M.whiteheadi*)

Eurasian Harvest Mouse (*Micromys minutus*)  
Anderson's White-bellied Rat (*Niviventer andersoni*)  
Cameron Highlands White-bellied Rat (*N.cameroni*)  
Confucian White-bellied Rat (*N.confucianus*)  
Sundaic Arboreal White-bellied Rat (*N.cremoriventer*)  
Soft-furred Taiwan White-bellied Rat (*N.culturatus*)  
Sichuan White-bellied Rat (*N.excelsior*) (?)  
South China White-bellied Rat (*N.huang*)  
Montane Javan White-bellied Rat (*N.lepturus*) (?)  
Himalayan White-bellied Rat (*N.niviventer*)  
Montane Bornean White-bellied Rat (*N.rapit*)  
Ricefield Rat (*Rattus argentiventer*)  
Kinabalu Rat (*R.baluensis*)  
Australian Dusky Rat (*R.colletti*)  
Pacific Rat (*R.exulans*)  
Australian Bush Rat (*R.fuscipes*)  
Hoffmann's Sulawesi Rat (*R.hoffmanni*)  
Cape York Rat (*R.leucopus*) (?)  
Losea Rat (*R.losea*)  
Australian Swamp Rat (*R.lutreola*)  
Brown Rat (*R.norvegicus*)  
Large New Guinea Spiny Rat (*R.praetor*)  
Himalayan Rat (*R.pyctoris*)  
Roof Rat (*R.rattus*)  
Canefield Rat (*R.sordidus*)  
East Asian House Rat (*R.tanezumi*)  
Malaysian Field Rat (*R.tiomanicus*)  
Australian Pale Field Rat (*R.tunneyi*)  
Australian Long-haired Rat (*R.villosissimus*)  
Northeastern Xanthurus Rat (*R.xanthurus*)  
Annandale's Sundaic Rat (*Sundamys annandalei*)  
Muller's Rat (*S.muelleri*)  
Celebes Rat (*Taeromys celebensis*)  
Indomalayan Long-tailed Climbing Mouse (*Vandeleuria oleraceus*)  
NESOMYIDS (NESOMYIDAE) (9/71)  
Southern Giant Pouched Rat (*Cricetomys ansorgei*)  
Forest Giant Pouched Rat (*C.emini*)  
Long-eared Desert Mouse (*Malacothrix typica*)

Milne-Edwards's Tufted-tail Rat (*Eliurus myoxinus*)  
Giant Jumping Rat (*Hypogeomys antimena*)  
Bastard's Big-footed Mouse (*Macrotarsomys bastardi*)  
Audebert's Forest Rat (*Nesomys audeberti*)  
Red Forest Rat (*N.rufus*)  
Common Pygmy Rock Mouse (*Petromyscus collinus*)  
SPALACIDS (SPALACIDAE) (4/41)  
Plateau Zokor (*Eospalax baileyi*)  
Giant Root Rat (*Tachyoryctes macrocephalus*)  
African Root Rat (*T.splendens*)  
Hungarian Blind Mole-rat (*Nannospalax hungaricus*)  
HEDGEHOGS AND GYMNURES (ERINACEIDAE) (10/34)  
Four-toed Hedgehog (*Atelerix albiventris*)  
North African Hedgehog (*A.algirus*)  
Southern White-breasted Hedgehog (*Erinaceus concolor*)  
West European Hedgehog (*E.europaeus*)  
Northern White-breasted Hedgehog (*E.roumanicus*)  
Common Long-eared Hedgehog (*Hemiechinus auritus*)  
Desert Hedgehog (*Paraechinus aethiopicus*)  
Indian Hedgehog (*P.micropus*)  
Moonrat (*Echinosorex gymnura*)  
Javan Short-tailed Gymnure (*Hylomys suillus*)  
SHREWS (SORICIDAE) (22/488)  
Greater Red White-toothed Shrew (*Crocidura flavescens*)  
Glass's White-toothed Shrew (*C.glassi*) (?)  
Guldenstãdt's White-toothed Shrew (*C.gueldenstaedtii*)  
African Giant White-toothed Shrew (*C.olivieri*)  
Fraser's White-toothed Shrew (*C.poensis*)  
Greater White-toothed Shrew (*C.russula*)  
Lesser White-toothed Shrew (*C.suaveolens*)  
Voi White-toothed Shrew (*C.voi*)  
Asian House Shrew (*Suncus murinus*)  
Nilgiri Highland Shrew (*S.niger*)  
Bioko Forest Shrew (*Sylvisorex isabellae*)  
Chinese Mole Shrew (*Anourosorex squamipes*)  
Northern Short-tailed Shrew (*Blarina brevicauda*)  
Ecuadorean Small-eared Shrew (*Cryptotis equatoris*)  
Eurasian Water Shrew (*Neomys fodiens*) (?)

Mediterranean Water Shrew (*N. milleri*)  
Transcaucasian Water Shrew (*N. teres*)  
Common Shrew (*Sorex araneus*)  
Lesser Striped Shrew (*S. bedfordiae*)  
Smoky Shrew (*S. fumeus*)  
Eastern Pygmy Shrew (*S. hoyi*) (?)  
Eurasian Pygmy Shrew (*S. minutus*)  
Southern Montane Shrew (*S. monticolus*) (†)  
American Water Shrew (*S. palustris*)  
Radde's Shrew (*S. raddei*)  
Trowbridge's Shrew (*S. trowbridgii*)  
MOLES AND DESMANS (TALPIDAE) (3/65)  
Pyrenean Desman (*Galemys pyrenaicus*)  
European Mole (*Talpa europaea*)  
Japanese Shrew Mole (*Urotrichus talpoides*)  
SOLENODONS (SOLENODONTIDAE) (1/2)  
Hispaniolan Solenodon (*Solenodon paradoxus*)  
OLD WORLD FRUIT BATS (PTEROPODIDAE) (49/196)  
Common Dayak Fruit Bat (*Dyacopterus spadiceus*)  
Lucas's Short-nosed Fruit Bat (*Penthetor lucasii*) (?)  
Lesser Short-nosed Fruit Bat (*Cynopterus brachyotis*)  
Horsfield's Short-nosed Fruit Bat (*C. horsfieldii*)  
Peters's Short-nosed Fruit Bat (*C. luzoniensis*)  
Minute Short-nosed Fruit Bat (*C. minutus*)  
Greater Short-nosed Fruit Bat (*C. sphinx*)  
White-collared Fruit Bat (*Megaerops albicollis*)  
Ratanaworabhan's Tailless Fruit Bat (*M. niphanae*)  
Greater Musky Fruit Bat (*Ptenochirus jagorii*)  
Madagascan Straw-colored Fruit Bat (*Eidolon dupreanum*)  
African Straw-colored Fruit Bat (*E. helvum*)  
Sulawesi Naked-backed Fruit Bat (*Dobsonia exoleta*)  
New Guinea Naked-backed Fruit Bat (*D. magna*)  
Lesser Naked-backed Fruit Bat (*D. minor*)  
Moluccan Naked-backed Fruit Bat (*D. moluccensis*)  
Lesser Long-tongued Blossom Bat (*Macroglossus minimus*)  
Southern Blossom Bat (*Syconycteris australis*)  
Broad-striped Tube-nosed Fruit Bat (*Nyctimene aello*)  
Common Tube-nosed Fruit Bat (*N. albiventris*)

Round-eared Tube-nosed Fruit Bat (*N.cyclotis*)  
Queensland Tube-nosed Fruit Bat (*N.robinsoni*)  
Unstriped Tube-nosed Fruit Bat (*Paranyctimene raptor*)  
Sulawesi Flying Fox (*Acerodon celebensis*)  
Golden-capped Flying Fox (*A.jubatus*)  
Black Flying Fox (*Pteropus alecto*)  
Spectacled Flying Fox (*P.conspicillatus*)  
Ryukyu Flying Fox (*P.dasymallus*)  
Island Flying Fox (*P.hypomelanus*)  
Lyle's Flying Fox (*P.lylei*)  
Big-eared Flying Fox (*P.macrotis*)  
Indian Flying Fox (*P.medius*)  
Great Flying Fox (*P.neohibernicus*)  
Ornate Flying Fox (*P.ornatus*)  
Gray-headed Flying Fox (*P.poliocephalus*)  
Little Red Flying Fox (*P.scapulatus*)  
Large Flying Fox (*P.vampyrus*)  
Lesser Dawn Bat (*Eonycteris spelaea*)  
Peters's Epauletted Fruit Bat (*Epomophorus crypturus*) (?)  
Little Epauletted Fruit Bat (*E.labiatus*)  
Lesser Epauletted Fruit Bat (*E.pusillus*)  
Wahlberg's Epauletted Fruit Bat (*E.wahlbergi*)  
Buttiker's Epauletted Fruit Bat (*Epomops buettikoferi*)  
Franquet's Epauletted Fruit Bat (*E.franqueti*)  
Hammer-headed Fruit Bat (*Hypsignathus monstrosus*)  
Sulawesi Fruit Bat (*Pilonycteris celebensis*)  
Angolan Soft-furred Fruit Bat (*Myonycteris angolensis*)  
Egyptian Rousette (*Rousettus aegyptiacus*)  
Geoffroy's Rousette (*R.amplexicaudatus*)  
Leschenault's Rousette (*R.leschenaultii*)  
Malagasy Rousette (*R.madagascariensis*)  
HOG-NOSED BATS (CRASEONYCTERIDAE) (1/1)  
Kitti's Hog-nosed Bat (*Craseonycteris thonglongyai*)  
OLD WORLD LEAF-NOSED BATS (HIPPOSIDERIDAE) (29/92)  
Stoliczka's Trident Bat (*Aselliscus stoliczkanus*)  
Temminck's Trident Bat (*A.tricuspidatus*)  
Cyclops Leaf-nosed Bat (*Doryrhina cyclops*)  
Philippine Dusky Leaf-nosed Bat (*Hipposideros antricola*)

Great Himalayan Leaf-nosed Bat (*H.armiger*)  
Common Dusky Leaf-nosed Bat (*H.ater*)  
Benito Leaf-nosed Bat (*H.beatus*)  
Bicolored Leaf-nosed Bat (*H.bicolor*)  
Sundevall's Leaf-nosed Bat (*H.caffer*)  
Fawn-colored Leaf-nosed Bat (*H.cervinus*)  
Diadem Leaf-nosed Bat (*H.diadema*)  
Dayak Leaf-nosed Bat (*H.dyacorum*)  
Fulvus Leaf-nosed Bat (*H.fulvus*)  
Cantor's Leaf-nosed Bat (*H.galeritus*)  
Andersen's Leaf-nosed Bat (*H.gentilis*)  
Arnhem Leaf-nosed Bat (*H.inornatus*)  
Horsfield's Leaf-nosed Bat (*H.larvatus*)  
Shield-faced Leaf-nosed Bat (*H.lylei*)  
Maggie Taylor's Leaf-nosed Bat (*H.maggietaylorae*)  
Orbiculus Leaf-nosed Bat (*H.orbiculus*)  
Biak Leaf-nosed Bat (*H.papua*)  
Philippine Pygmy Leaf-nosed Bat (*H.pygmaeus*)  
Noack's Leaf-nosed Bat (*H.ruber*)  
Semon's Leaf-nosed Bat (*H.semoni*)  
Schneider's Leaf-nosed Bat (*H.speoris*)  
Maghreb Leaf-nosed Bat (*H.tephrus*)  
Commerson's Leaf-nosed Bat (*Macronycteris commersonii*)  
Giant Leaf-nosed Bat (*M.gigas*)  
Striped Leaf-nosed Bat (*M.vittata*)  
FALSE VAMPIRE BATS (MEGADERMATIDAE) (5/6)  
Heart-nosed False-vampire (*Cardioderma cor*)  
Yellow-winged False-vampire (*Lavia frons*)  
Greater Asian False-vampire (*Lyroderma lyra*)  
Ghost False-vampire (*Macroderma gigas*)  
Lesser Asian False-vampire (*Megaderma spasma*)  
HORSESHOE BATS (RHINOLOPHIDAE) (40/114)  
Queensland Horseshoe Bat (*Rhinolophus achilles*)  
Heuglin's Horseshoe Bat (*R.acrotis*)  
Acuminate Horseshoe Bat (*R.acuminatus*)  
Intermediate Horseshoe Bat (*R.affinis*)  
Halcyon Horseshoe Bat (*R.alcyone*)  
Beddome's Woolly Horseshoe Bat (*R.beddomei*)

Cape Horseshoe Bat (*R.capensis*)  
Sulawesi Horseshoe Bat (*R.celebensis*)  
Geoffroy's Horseshoe Bat (*R.clivosus*)  
Little Japanese Horseshoe Bat (*R.cornutus*)  
Creagh's Horseshoe Bat (*R.creaghi*)  
Damara Horseshoe Bat (*R.damarensis*)  
Dent's Horseshoe Bat (*R.denti*)  
Eloquent Horseshoe Bat (*R.eloquens*)  
Mediterranean Horseshoe Bat (*R.euryale*)  
New Guinea Broad-eared Horseshoe Bat (*R.euryotis*)  
Greater Horseshoe Bat (*R.ferrumequinum*)  
Andersen's Woolly Horseshoe Bat (*R.foetidus*)  
Formosan Woolly Horseshoe Bat (*R.formosae*)  
Lesser Horseshoe Bat (*R.hipposideros*)  
Lander's Horseshoe Bat (*R.landeri*)  
Great Woolly Horseshoe Bat (*R.luctus*)  
Big-eared Horseshoe Bat (*R.macrotis*)  
Malayan Horseshoe Bat (*R.malayanus*)  
Eastern Horseshoe Bat (*R.megaphyllus*)  
Mehely's Horseshoe Bat (*R.mehelyi*)  
Vietnamese Brown Horseshoe Bat (*R.microglobosus*)  
Formosan Horseshoe Bat (*R.monoceros*)  
Greater Japanese Horseshoe Bat (*R.nippon*)  
Pearson's Horseshoe Bat (*R.pearsonii*)  
Northern Woolly Horseshoe Bat (*R.perniger*)  
Least Horseshoe Bat (*R.pusillus*)  
Glossy Horseshoe Bat (*R.refulgens*)  
Robinson's Horseshoe Bat (*R.robinsoni*)  
Indian Rufous Horseshoe Bat (*R.rouxii*)  
Ruwenzori Horseshoe Bat (*R.ruwenzorii*)  
Shamel's Horseshoe Bat (*R.shameli*)  
Bushveld Horseshoe Bat (*R.simulator*)  
Chinese Rufous Horseshoe Bat (*R.sinicus*)  
Trefoil Horseshoe Bat (*R.trifoliatus*)  
TRIDENT BATS (RHINONYCTERIDAE) (4/9)  
Orange Diamond-faced Bat (*Rhinonictoris aurantia*)  
African Trident Bat (*Triaenops afer*)  
Rufous Trident Bat (*T.menamena*)

Persian Trident Bat (*T.persicus*)  
MOUSE-TAILED BATS (RHINOPOMATIDAE) (4/6)  
Arabian Mouse-tailed Bat (*Rhinopoma cystops*)  
Lesser Mouse-tailed Bat (*R.hardwickii*)  
Greater Mouse-tailed Bat (*R.microphyllum*)  
Muscat Mouse-tailed Bat (*R.muscatellum*)  
SHEATH-TAILED BATS (EMBALLONURIDAE) (33/55)  
Thomas's Sac-winged Bat (*Balantiopteryx io*)  
Gray Sac-winged Bat (*B.plicata*)  
Thomas's Shaggy Bat (*Centronycteris centralis*)  
Chestnut Sac-winged Bat (*Cormura brevirostris*)  
Short-eared Bat (*Cyttarops alecto*)  
Northern Ghost Bat (*Diclidurus albus*)  
Greater Dog-like Bat (*Peropteryx kappleri*)  
White-winged Dog-like Bat (*P.leucoptera*)  
Lesser Dog-like Bat (*P.macrotis*)  
Pale-winged Dog-like Bat (*P.pallidoptera*)  
Proboscis Bat (*Rhynchonycteris naso*)  
Greater Sac-winged Bat (*Saccopteryx bilineata*)  
Frosted Sac-winged Bat (*S.canescens*)  
Amazonian Sac-winged Bat (*S.gymnura*)  
Lesser Sac-winged Bat (*S.leptura*)  
African Sheath-tailed Bat (*Coleura afra*)  
Small Asian Sheath-tailed Bat (*Emballonura alecto*)  
Lesser Sheath-tailed Bat (*E.monticola*)  
Raffray's Sheath-tailed Bat (*E.raffrayana*)  
Dark Sheath-tailed Bat (*Mosia nigrescens*)  
Peters's Sheath-tailed Bat (*Paremballonura atrata*)  
Western Sheath-tailed Bat (*P.tiavato*)  
Yellow-bellied Sheath-tailed Bat (*Saccolaimus flaviventris*)  
Coastal Sheath-tailed Bat (*Taphozous australis*)  
Common Sheath-tailed Bat (*T.georgianus*)  
Hildegarde's Tomb Bat (*T.hildegardeae*)  
Hill's Sheath-tailed Bat (*T.hilli*)  
Long-winged Sheath-tailed Bat (*T.longimanus*)  
Mauritian Tomb Bat (*T.mauritanus*)  
Black-bearded Tomb Bat (*T.melanopogon*)  
Naked-rumped Tomb Bat (*T.nudiventris*)

Egyptian Tomb Bat (*T.perforatus*)  
Troughton's Sheath-tailed Bat (*T.troughtoni*)  
SUCKER-FOOTED BATS (MYZOPODIDAE) (1/2)  
Eastern Sucker-footed Bat (*Myzopoda aurita*)  
SLIT-FACED BATS (NYCTERIDAE) (6/14)  
Bates's Slit-faced Bat (*Nycteris arge*)  
Andersen's Slit-faced Bat (*N.aurita*) (?)  
Hairy Slit-faced Bat (*N.hispida*)  
Javan Slit-faced Bat (*N.javanica*)  
Large-eared Slit-faced Bat (*N.macrotis*)  
Egyptian Slit-faced Bat (*N.thebaica*)  
Malayan Slit-faced Bat (*N.tragata*)  
THUMBLESS AND SMOKY BATS (FURIPTERIDAE) (1/2)  
Thumbless Bat (*Furipterus horrens*)  
GHOST-FACED AND MOUSTACHED BATS (MORMOOPIDAE) (12/18)  
Antillean Ghost-faced Bat (*Mormoops blainvillei*)  
Peters's Ghost-faced Bat (*M.megalophylla*)  
Davy's Naked-backed Bat (*Pteronotus davyi*)  
Thomas's Naked-backed Bat (*P.fulvus*)  
Big Naked-backed Bat (*P.gymnonotus*)  
Mesoamerican Common Mustached Bat (*P.mesoamericanus*)  
Parnell's Common Mustached Bat (*P.parnellii*)  
Wagner's Lesser Mustached Bat (*P.personatus*)  
Puerto Rican Common Mustached Bat (*P.portoricensis*)  
Dobson's Lesser Mustached Bat (*P.psilotis*)  
Sooty Mustached Bat (*P.quadridens*)  
Wagner's Common Mustached Bat (*P.rubiginosus*)  
NEW ZEALAND SHORT-TAILED BATS (MYSTACINIDAE) (1/2)  
Lesser New Zealand Short-tailed Bat (*Mystacina tuberculata*)  
BULLDOG BATS (NOCTILIONIDAE) (2/2)  
Lesser Bulldog Bat (*Noctilio albiventris*)  
Greater Bulldog Bat (*N.leporinus*)  
NEW WORLD LEAF-NOSED BATS (PHYLLOSTOMIDAE) (95/230)  
Ben Keith's Short-tailed Bat (*Carollia benkeithi*)  
Silky Short-tailed Bat (*C.brevicauda*)  
Chestnut Short-tailed Bat (*C.castanea*)  
Seba's Short-tailed Bat (*C.perspicillata*)  
Sowell's Short-tailed Bat (*C.sowellii*)

Gray Short-tailed Bat (*C.subrufa*)  
Common Vampire Bat (*Desmodus rotundus*)  
White-winged Vampire Bat (*Diaemus youngii*)  
Hairy-legged Vampire Bat (*Diphylla ecaudata*)  
Antillean Fruit-eating Bat (*Brachyphylla cavernarum*)  
Brown Flower Bat (*Erophylla bombifrons*)  
Tailed Tailless Bat (*Anoura caudifer*)  
Handley's Tailless Bat (*A.cultrata*)  
Tube-lipped Tailless Bat (*A.fistulata*)  
Geoffroy's Tailless Bat (*A.geoffroyi*)  
Tschudi's Tailless Bat (*A.peruana*)  
Godman's Long-tailed Bat (*Choeroniscus godmani*)  
Mexican Long-tongued Bat (*Choeronycteris mexicana*)  
Underwood's Long-tongued Bat (*Hylonycteris underwoodi*)  
Baker's Long-tongued Bat (*Glossophaga bakeri*)  
Commissaris's Long-tongued Bat (*G.commissarisi*)  
Gray's Long-tongued Bat (*G.leachii*)  
Miller's Long-tongued Bat (*G.longirostris*)  
Western Long-tongued Bat (*G.morenoi*)  
Merriam's Long-tongued Bat (*G.mutica*)  
Pallas's Long-tongued Bat (*G.soricina*)  
Greater Long-nosed Bat (*Leptonycteris nivalis*)  
Lesser Long-nosed Bat (*L.yerbabuenae*)  
Leach's Single-leaf Bat (*Monophyllus redmani*)  
Niceforo's Big-eared Bat (*Trinycteris nicefori*)  
Orange Nectar Bat (*Lonchophylla robusta*)  
Common Sword-nosed Bat (*Lonchorhina aurita*)  
Californian Leaf-nosed Bat (*Macrotus californicus*)  
Waterhouse's Leaf-nosed Bat (*M.waterhousii*)  
Orange-throated Bat (*Lampronnycteris brachyotis*)  
Hairy Big-eared Bat (*Micronycteris hirsuta*)  
Little Big-eared Bat (*M.megalotis*)  
Common Big-eared Bat (*M.microtis*)  
Tiny Big-eared Bat (*M.minuta*)  
Schmidts' Big-eared Bat (*M.schmidtorum*)  
Northern Big-eared Bat (*M.tresamici*)  
Long-legged Bat (*Macrophyllum macrophyllum*)  
Common Fringe-lipped Bat (*Trachops cirrhosus*)

Central American Fringe-lipped Bat (*T.coffini*)  
Atlantic Forest Fringe-lipped Bat (*T.ehrhardti*)  
Striped Hairy-nosed Bat (*Gardnerycteris crenulata*)  
Mesoamerican Round-eared Bat (*Lophostoma nicaraguae*)  
White-throated Round-eared Bat (*L.silvicola*)  
Pale-faced Bat (*Phylloderma stenops*)  
Pale Spear-nosed Bat (*Phyllostomus discolor*)  
Lesser Spear-nosed Bat (*P.elongatus*)  
Greater Spear-nosed Bat (*P.hastatus*)  
Guianan Spear-nosed Bat (*P.latifolius*)  
Northern Stripe-headed Round-eared Bat (*Tonatia bakeri*)  
Southern Stripe-headed Round-eared Bat (*T.maresi*)  
Woolly False Vampire Bat (*Chrotopterus auritus*)  
Cozumelan Golden Bat (*Mimon cozumelae*)  
Spectral Bat (*Vampyrum spectrum*)  
Fischer's Little Fruit Bat (*Rhinophylla fischeriae*)  
Dwarf Little Fruit Bat (*R.pumilio*)  
Brown Fruit-eating Bat (*Artibeus concolor*)  
Hairy Fruit-eating Bat (*A.hirsutus*)  
Intermediate Fruit-eating Bat (*A.intermedius*)  
Jamaican Fruit-eating Bat (*A.jamaicensis*)  
Great Fruit-eating Bat (*A.lituratus*)  
Dark Fruit-eating Bat (*A.obscurus*)  
Flat-faced Fruit-eating Bat (*A.planirostris*)  
Hairy Big-eyed Bat (*Chiroderma villosum*)  
Andersen's Fruit-eating Bat (*Dermanura anderseni*)  
Aztec Fruit-eating Bat (*D.azteca*)  
Gervais's Fruit-eating Bat (*D.cinerea*)  
Dwarf Fruit-eating Bat (*D.gnomus*)  
Pygmy Fruit-eating Bat (*D.phaeotis*)  
Toltec Fruit-eating Bat (*D.tolteca*)  
Thomas's Fruit-eating Bat (*D.watsoni*)  
Honduran White Bat (*Ectophylla alba*)  
MacConnell's Bat (*Mesophylla macconnelli*)  
Cuban Fig-eating Bat (*Phyllops falcatus*)  
Short-headed Broad-nosed Bat (*Platyrrhinus brachycephalus*)  
Heller's Broad-nosed Bat (*P.helleri*)  
Incan Broad-nosed Bat (*P.incarum*)

Buffy Broad-nosed Bat (*P. infuscus*)  
Common Tent-making Bat (*Uroderma bilobatum*)  
Pacific Tent-making Bat (*U. convexum*)  
Davis's Tent-making Bat (*U. davisii*)  
Brown Tent-making Bat (*U. magnirostrum*)  
Northern Little Yellow-eared Bat (*Vampyressa thuyone*)  
Bidentate Yellow-eared Bat (*Vampyriscus bidens*)  
Brock's Yellow-eared Bat (*V. brocki*)  
Striped Yellow-eared Bat (*V. nymphaeus*)  
Hairy Yellow-shouldered Bat (*Sturnira erythromos*)  
Honduran Yellow-shouldered Bat (*S. hondurensis*)  
Little Yellow-shouldered Bat (*S. lilium*)  
Northern Yellow-shouldered Bat (*S. parvidens*)  
Tilda's Yellow-shouldered Bat (*S. tilda*)  
DISC-WINGED BATS (THYROPTERIDAE) (2/5)  
Peters's Disk-winged Bat (*Thyroptera discifera*)  
Spix's Disk-winged Bat (*T. tricolor*)  
WING-GLAND BATS (CISTUGIDAE) (1/2)  
Le Sueur's Wing-gland Bat (*Cistugo lesueuri*)  
BENT-WINGED BATS (MINIOPTERIDAE) (14/41)  
Allen's Long-fingered Bat (*Miniopterus aelleni*)  
African Long-fingered Bat (*M. africanus*)  
Little Long-fingered Bat (*M. australis*)  
Madagascar Long-fingered Bat (*M. brachytragos*) (?)  
Asian Long-fingered Bat (*M. fuliginosus*)  
Glen's Long-fingered Bat (*M. gleni*)  
Griveaud's Long-fingered Bat (*M. griveaudi*)  
Greater Long-fingered Bat (*M. inflatus*)  
Small Melanesian Long-fingered Bat (*M. macrocneme*)  
Major's Long-fingered Bat (*M. majori*)  
Intermediate Long-fingered Bat (*M. medius*)  
Least Long-fingered Bat (*M. minor*)  
Natal Long-fingered Bat (*M. natalensis*)  
Australian Long-fingered Bat (*M. orianae*)  
Schreibers's Long-fingered Bat (*M. schreibersii*)  
FREE-TAILED BATS (MOLOSSIDAE) (34/135)  
White-striped Free-tailed Bat (*Austronomus australis*)  
Greater Naked Bat (*Cheiromeles torquatus*)

Cinnamon Dog-faced Bat (*Cynomops abrasus*)  
Mexican Dog-faced Bat (*C.mexicanus*)  
Common Dwarf Bonneted Bat (*Eumops bonariensis*)  
Fierce Bonneted Bat (*E.ferox*)  
Florida Bonneted Bat (*E.floridanus*)  
Western Bonneted Bat (*E.perotis*)  
East Coast Free-tailed Bat (*Micronomus norfolkensis*)  
Dwarf Dog-faced Bat (*Molossops temminckii*)  
Alvarez's Mastiff Bat (*Molossus alvarezi*)  
Bonda Mastiff Bat (*M.bondae*)  
Pallas's Mastiff Bat (*M.molossus*)  
Northern Black Mastiff Bat (*M.nigricans*)  
Miller's Mastiff Bat (*M.pretiosus*)  
Short-winged Free-tailed Bat (*Mops brachypterus*)  
Angolan Free-tailed Bat (*M.condylurus*)  
Greater Northern Free-tailed Bat (*M.jobensis*)  
Midas Free-tailed Bat (*M.midas*)  
Malayan Free-tailed Bat (*M.mops*)  
Wrinkle-lipped Free-Tailed Bat (*M.plicatus*)  
Little Free-tailed Bat (*M.pumilus*)  
Pocketed Free-tailed Bat (*Nyctinomops femorosaccus*)  
Broad-eared Free-tailed Bat (*N.laticaudatus*)  
Big Free-tailed Bat (*N.macrotis*)  
Harrison's Giant Mastiff Bat (*Otomops harrisoni*)  
Lumsden's Free-tailed Bat (*Ozimops lumsdenae*)  
Inland Free-tailed Bat (*O.petersi*)  
Southern Free-tailed Bat (*O.planiceps*)  
Ride's Free-tailed Bat (*O.ridei*)  
Big Crested Mastiff Bat (*Promops centralis*)  
Egyptian Free-tailed Bat (*Tadarida aegyptiaca*)  
Brazilian Free-tailed Bat (*T.brasiliensis*)  
European Free-tailed Bat (*T.teniotis*)  
FUNNEL-EARED BATS (NATALIDAE) (2/11)  
Caribbean Lesser Funnel-eared Bat (*Chilonatalus micropus*)  
Mexican Funnel-eared Bat (*Natalus mexicanus*)  
EVENING BATS (VESPRTLIONIDAE) (135/530)  
Hardwicke's Woolly Bat (*Kerivoula hardwickii*)  
Least Woolly Bat (*K.minuta*)

Fly River Woolly Bat (*K.muscina*)  
Clear-winged Woolly Bat (*K.pellucida*)  
Painted Woolly Bat (*K.picta*)  
Golden-tipped Bat (*Phoniscus papuensis*)  
Flores Tube-nosed Bat (*Murina florium*)  
Hilgendorf's Tube-nosed Bat (*M.hilgendorfi*)  
Rufous Tube-nosed Bat (*M.leucogaster*)  
Silver-tipped Myotis (*Myotis albescens*)  
Valparaiso Myotis (*M.arescens*)  
Southwestern Myotis (*M.auriculus*)  
Southeastern Myotis (*M.austroriparius*)  
Bechstein's Myotis (*M.bechsteinii*)  
Lesser Myotis (*M.blythii*)  
Brandt's Myotis (*M.brandtii*)  
California Myotis (*M.californicus*)  
Long-fingered Myotis (*M.capaccinii*)  
Chilean Myotis (*M.chiloensis*)  
Western Small-footed Myotis (*M.ciliolabrum*)  
Pond Myotis (*M.dasycneme*)  
Daubenton's Myotis (*M.daubentonii*)  
Elegant Myotis (*M.elegans*)  
Geoffroy's Myotis (*M.emarginatus*)  
Long-eared Myotis (*M.evotis*)  
Mexican Black Myotis (*M.extremus*)  
Black-and-orange Myotis (*M.formosus*)  
Fraternal Myotis (*M.frater*) (?)  
Malagasy Myotis (*M.goudotii*)  
Gray Myotis (*M.grisescens*)  
Lesser Large-footed Myotis (*M.hasseltii*)  
Horsfield's Myotis (*M.horsfieldii*)  
Eastern Small-footed Myotis (*M.leibii*)  
Little Brown Myotis (*M.lucifugus*)  
Big-footed Myotis (*M.macrodactylus*)  
Southern Myotis (*M.macropus*)  
Maluku Myotis (*M.moluccarum*)  
Nepalese Whiskered Myotis (*M.muricola*)  
Greater Myotis (*M.myotis*)  
Common Whiskered Myotis (*M.mystacinus*)

Natterer's Myotis (*M.nattereri*)  
Common Black Myotis (*M.nigricans*)  
Arizona Myotis (*M.occultus*)  
Montane Myotis (*M.oxyotus*)  
Northern Hairy-legged Myotis (*M.pilosatibialis*)  
Flat-headed Myotis (*M.planiceps*)  
Maghreb Myotis (*M.punicus*)  
Ridley's Myotis (*M.ridleyi*)  
Riparian Myotis (*M.riparius*)  
Long-toed Myotis (*M.secundus*)  
Northern Myotis (*M.septentrionalis*)  
Himalayan Whiskered Myotis (*M.siligorensis*)  
Indiana Myotis (*M.sodalis*)  
Fringed Myotis (*M.thysanodes*)  
Cave Myotis (*M.velifer*)  
Fish-eating Myotis (*M.vivesi*)  
Long-legged Myotis (*M.volans*)  
Yuma Myotis (*M.yumanensis*)  
Taiwan Broad-muzzled Bat (*Submyotodon latirostris*)  
Pallid Bat (*Antrozous pallidus*)  
Allen's Yellow Bat (*Baeodon alleni*)  
Slender Yellow Bat (*B.gracilis*)  
Van Gelder's Bat (*Bauerus dubiaquercus*)  
Yucatan Yellow Bat (*Rhogeessa aenea*)  
Bickham's Yellow Bat (*R.bickhami*)  
Northern Little Yellow Bat (*R.parvula*)  
Long-tailed Serotine (*Cnephaeus hottentotus*) (?)  
Northern Serotine (*C.nilssonii*)  
Eurasian Serotine (*C.serotinus*)  
Big Brown Bat (*Eptesicus fuscus*)  
Beatrix's Butterfly Bat (*Glauconycteris beatrix*)  
Silver-haired Bat (*Lasionycteris noctivagans*)  
Brazilian Serotine (*Neoptesicus brasiliensis*)  
Diminutive Serotine (*N.diminutus*)  
Argentine Serotine (*N.furinalis*)  
Inland Broad-nosed Bat (*Scotorepens balstoni*)  
Little Broad-nosed Bat (*S.greyii*)  
Northern Broad-nosed Bat (*S.sanborni*)

Eastern Red Bat (*Lasiurus borealis*)  
Desert Red Bat (*L.frantzii*)  
Seminole Bat (*L.seminolus*)  
Western Yellow Bat (*L.xanthinus*)  
North American Evening Bat (*Nycticeius humeralis*)  
Canyon Bat (*Parastrellus hesperus*)  
Tricolored Bat (*Perimyotis subflavus*)  
Azores Noctule (*Nyctalus azoreum*)  
Greater Noctule (*N.lasiopterus*)  
Leisler's Noctule (*N.leisleri*)  
Common Noctule (*N.noctula*)  
Japanese Pipistrelle (*Pipistrellus abramus*)  
Kelaart's Pipistrelle (*P.ceyloicus*)  
Indian Pipistrelle (*P.coromandra*)  
Javan Pipistrelle (*P.javanicus*)  
Kuhl's Pipistrelle (*P.kuhlii*)  
Nathusius's Pipistrelle (*P.nathusii*)  
Common Pipistrelle (*P.pipistrellus*)  
Soprano Pipistrelle (*P.pygmaeus*)  
Least Pipistrelle (*P.tenuis*)  
Northern Pipistrelle (*P.westralis*)  
Western Barbastelle (*Barbastella barbastellus*)  
Eastern Barbastelle (*B.darjelingensis*)  
Mexican Big-eared Bat (*Corynorhinus mexicanus*)  
Rafinesque's Big-eared Bat (*C.rafinesquii*)  
Townsend's Big-eared Bat (*C.townsendii*)  
Spotted Bat (*Euderma maculatum*)  
Allen's Big-eared Bat (*Idionycteris phyllotis*)  
Brown Long-eared Bat (*Plecotus auritus*)  
Gray Long-eared Bat (*P.austriacus*)  
Alpine Long-eared Bat (*P.macrobullaris*)  
Taiwan Long-eared Bat (*P.taivanus*)  
African Yellow Bat (*Scotophilus dinganii*)  
Greater Asian Yellow Bat (*S.heathii*)  
Lesser Asian Yellow Bat (*S.kuhlii*)  
Large-eared Pied Bat (*Chalinolobus dwyeri*)  
Gould's Wattled Bat (*C.gouldii*)  
Chocolate Wattled Bat (*C.morio*)

Hoary Wattled Bat (*C.nigrogriseus*)  
Little Pied Bat (*C.picatus*)  
New Zealand Long-tailed Bat (*C.tuberculatus*) (?)  
Eastern False Pipistrelle (*Falsistrellus tasmaniensis*)  
Alashanian Pipistrelle (*Hypsugo alaschanicus*)  
Savi's Pipistrelle (*H.savii*)  
Cape Serotine (*Laephotis capensis*)  
Schlieffen's Serotine (*Nycticeinops schlieffenii*)  
Northern Long-eared Bat (*Nyctophilus arnhemensis*)  
Eastern Long-eared Bat (*N.bifax*)  
Lesser Long-eared Bat (*N.geoffroyi*)  
Gould's Long-eared Bat (*N.gouldi*)  
Mount Missim Long-eared Bat (*N.shirleyae*) (?)  
Pygmy Long-eared Bat (*N.walkerii*)  
Malayan Greater Bamboo Bat (*Tylonycteris malayana*)  
Northern Cave Bat (*Vespadelus caurinus*)  
Large Forest Bat (*V.darlingtoni*)  
Finlayson's Cave Bat (*V.finlaysoni*)  
Eastern Forest Bat (*V.pumilus*)  
Southern Forest Bat (*V.regulus*)  
Eastern Cave Bat (*V.troughtoni*)  
Little Forest Bat (*V.vulturinus*)  
Asian Particolored Bat (*Vespertilio sinensis*)  
PANGOLINS (MANIDAE) (3/8)  
Long-tailed Pangolin (*Phataginus tetradactylus*)  
Common African Pangolin (*P.tricuspis*)  
Giant Pangolin (*Smutsia gigantea*)  
RED PANDAS (AILURIDAE) (2/2)  
Western Red Panda (*Ailurus fulgens*)  
Eastern Red Panda (*A.styani*)  
SKUNKS AND STINK-BADGERS (MEPHITIDAE) (9/15)  
Molina's Hog-nosed Skunk (*Conepatus chinga*)  
American Hog-nosed Skunk (*C.leuconotus*)  
Striped Hog-nosed Skunk (*C.semistriatus*)  
Hooded Skunk (*Mephitis macroura*)  
Striped Skunk (*M.mephitis*)  
Southern Spotted Skunk (*Spilogale angustifrons*)  
Western Spotted Skunk (*S.gracilis*)

Plains Spotted Skunk (*S.interrupta*)  
Sunda Stink Badger (*Mydaus javanensis*)  
MUSTELIDS (MUSTELIDAE) (41/68)  
Tayra (*Eira barbara*)  
Wolverine (*Gulo gulo*)  
American Marten (*Martes americana*)  
Yellow-throated Marten (*M.flavigula*)  
Stone Marten (*M.foina*)  
European Pine Marten (*M.martes*)  
Japanese Marten (*M.melampus*)  
Fisher (*Pekania pennanti*)  
Small-toothed Ferret-badger (*Melogale moschata*)  
Javan Ferret-badger (*M.orientalis*)  
Formosan Ferret-badger (*M.subaurantiaca*)  
Lesser Grison (*Galictis cuja*)  
Zorilla (*Ictonyx striatus*)  
Marbled Polecat (*Vormela peregusna*)  
Sea Otter (*Enhydra lutris*)  
Spotted-necked Otter (*Hydrictis maculicollis*)  
North American River Otter (*Lontra canadensis*)  
Marine Otter (*L.felina*)  
Central Neotropical River Otter (*L.longicaudis*)  
Southern River Otter (*L.provocax*)  
African Clawless Otter (*Lutra capensis*)  
Asian Small-clawed Otter (*L.cinerea*)  
Congo Clawless Otter (*L.congica*)  
Eurasian Otter (*L.lutra*)  
Smooth-coated Otter (*L.perspicillata*)  
Hairy-nosed Otter (*L.sumatrana*)  
Giant Otter (*Pteronura brasiliensis*)  
Northern Hog Badger (*Arctonyx albogularis*) (?)  
European Badger (*Meles meles*)  
Honey Badger (*Mellivora capensis*)  
Altai Mountain Weasel (*Mustela altaica*)  
Beringian Ermine (*M.erminea*)  
Steppe Polecat (*M.eversmanii*)  
European Mink (*M.lutreola*)  
Black-footed Ferret (*M.nigripes*)

Least Weasel (*M.nivalis*)  
Malay Weasel (*M.nudipes*)  
European Polecat (*M.putorius*)  
Siberian Weasel (*M.sibirica*)  
Long-tailed Weasel (*Neogale frenata*)  
American Mink (*N.vison*)  
American Badger (*Taxidea taxus*)  
RACCOONS, COATIS, AND ALLIES (PROCYONIDAE) (12/13)  
Eastern Lowland Olingo (*Bassaricyon alleni*)  
Northern Olingo (*B.gabbii*)  
Western Lowland Olingo (*B.medius*)  
Olinguito (*B.neblina*)  
Ringtail (*Bassariscus astutus*)  
Cacomistle (*B.sumichrasti*)  
White-nosed Coati (*Nasua narica*)  
South American Coati (*N.nasua*)  
Kinkajou (*Potos flavus*)  
Crab-eating Raccoon (*Procyon cancrivorus*)  
Northern Raccoon (*P.lotor*)  
Cozumel Raccoon (*P.pygmaeus*)  
WALRUSES (ODOBENIDAE) (1/1)  
Walrus (*Odobenus rosmarus*)  
EARED SEALS (OTARIIDAE) (11/15)  
South American Fur Seal (*Arctocephalus australis*)  
New Zealand Fur Seal (*A.forsteri*)  
Afro-Australian Fur Seal (*A.pusillus*)  
Guadalupe Fur Seal (*A.townsendi*)  
Northern Fur Seal (*Callorhinus ursinus*)  
Steller Sea Lion (*Eumetopias jubatus*)  
Australian Sea Lion (*Neophoca cinerea*)  
South American Sea Lion (*Otaria flavescens*)  
New Zealand Sea Lion (*Phocarctos hookeri*)  
California Sea Lion (*Zalophus californianus*)  
Galapagos Sea Lion (*Z.wollebaeki*)  
EARLESS SEALS (PHOCIDAE) (11/18)  
Hooded Seal (*Cystophora cristata*)  
Bearded Seal (*Erignathus barbatus*)  
Gray Seal (*Halichoerus grypus*)

Northern Elephant Seal (*Mirounga angustirostris*)  
Southern Elephant Seal (*M.leonina*)  
Mediterranean Monk Seal (*Monachus monachus*)  
Hawaiian Monk Seal (*Neomonachus schauinslandi*)  
Harp Seal (*Pagophilus groenlandicus*)  
Spotted Seal (*Phoca largha*)  
Harbor Seal (*P.vitulina*)  
Ringed Seal (*Pusa hispida*)  
BEARS (URSIDAE) (8/8)  
Giant Panda (*Ailuropoda melanoleuca*)  
Andean Bear (*Tremarctos ornatus*)  
Sun Bear (*Helarctos malayanus*)  
Sloth Bear (*Melursus ursinus*)  
American Black Bear (*Ursus americanus*)  
Brown Bear (*U.arctos*)  
Polar Bear (*U.maritimus*)  
Asian Black Bear (*U.thibetanus*)  
CANIDS (CANIDAE) (37/39)  
Short-eared Dog (*Atelocynus microtis*)  
Golden Jackal (*Canis aureus*)  
Domestic Dog (*C.familiaris*)  
Coyote (*C.latrans*)  
African Golden Wolf (*C.lupaster*)  
Gray Wolf (*C.lupus*)  
Eastern Wolf (*C.lycaon*)  
Red Wolf (*C.rufus*)  
Ethiopian Wolf (*C.simensis*)  
Crab-eating Fox (*Cerdocyon thous*)  
Maned Wolf (*Chrysocyon brachyurus*)  
Dhole (*Cuon alpinus*)  
Side-striped Jackal (*Lupulella adusta*)  
Black-backed Jackal (*L.mesomelas*)  
Culpeo (*Lycalopex culpaeus*)  
Darwin's Fox (*L.fulvipes*)  
South American Gray Fox (*L.grisea*)  
Pampas Fox (*L.gymnocerca*)  
Sechuran Fox (*L.sechurae*)  
African Wild Dog (*Lycaon pictus*)

Common Raccoon Dog (*Nyctereutes procyonoides*)

Japanese Raccoon Dog (*N.viverrinus*)

Bat-eared Fox (*Otocyon megalotis*)

Northern Gray Fox (*Urocyon cinereoargenteus*)

Island Fox (*U.littoralis*)

Indian Fox (*Vulpes bengalensis*)

Blanford's Fox (*V.cana*)

Cape Fox (*V.chama*)

Corsac Fox (*V.corsac*)

Tibetan Fox (*V.ferrilata*)

Arctic Fox (*V.lagopus*)

Kit Fox (*V.macrotis*)

Pale Fox (*V.pallida*)

Ruppell's Fox (*V.rueppellii*)

Swift Fox (*V.velox*)

Red Fox (*V.vulpes*)

Fennec Fox (*V.zerda*)

FELIDS (FELIDAE) (32/47)

Cheetah (*Acinonyx jubatus*)

Caracal (*Caracal caracal*)

Bay Cat (*Catopuma badia*)

Asian Golden Cat (*C.temminckii*)

Domestic Cat (*Felis catus*)

Jungle Cat (*F.chaus*)

African Wildcat (*F.lybica*)

Sand Cat (*F.margarita*)

Black-footed Cat (*F.nigripes*)

European Wildcat (*F.silvestris*)

Jaguarundi (*Herpailurus yagouaroundi*)

Northern Colocolo (*Leopardus garleppi*)

Geoffroy's Cat (*L.geoffroyi*)

Andean Mountain Cat (*L.jacobita*)

Ocelot (*L.pardalis*)

Serval (*Leptailurus serval*)

Canadian Lynx (*Lynx canadensis*)

Eurasian Lynx (*L.lynx*)

Iberian Lynx (*L.pardinus*)

Bobcat (*L.rufus*)

Pallas's Cat (*Otocolobus manul*)  
Mainland Leopard Cat (*Prionailurus bengalensis*)  
Sunda Leopard Cat (*P.javanensis*)  
Flat-headed Cat (*P.planiceps*)  
Rusty-spotted Cat (*P.rubiginosus*)  
Puma (*Puma concolor*)  
Sunda Clouded Leopard (*Neofelis diardi*)  
Lion (*Panthera leo*)  
Jaguar (*P.onca*)  
Leopard (*P.pardus*)  
Tiger (*P.tigris*)  
Snow Leopard (*P.uncia*)  
AFRICAN PALM-CIVETS (NANDINIIDAE) (1/1)  
African Palm Civet (*Nandinia binotata*)  
EUPLERIDS (EUPLERIDAE) (3/7)  
Spotted Fanaloka (*Fossa fossana*)  
Ring-tailed Vontsira (*Galidia elegans*)  
Narrow-striped Boky (*Mungotictis decemlineata*)  
MONGOOSES (HERPESTIDAE) (24/35)  
Marsh Mongoose (*Atilax paludinosus*)  
Yellow Mongoose (*Cynictis penicillata*)  
Angolan Slender Mongoose (*Herpestes flavescens*)  
Egyptian Mongoose (*H.ichneumon*)  
Cape Gray Mongoose (*H.pulverulentus*)  
Common Slender Mongoose (*H.sanguineus*)  
White-tailed Mongoose (*Ichneumia albicauda*)  
Selous's Mongoose (*Paracynictis selousi*)  
Meller's Mongoose (*Rhynchogale melleri*)  
Short-tailed Mongoose (*Urva brachyura*)  
Indian Gray Mongoose (*U.edwardsii*)  
Indian Brown Mongoose (*U.fusca*)  
Javan Mongoose (*U.javanica*)  
Ruddy Mongoose (*U.smithii*)  
Crab-eating Mongoose (*U.urva*)  
Stripe-necked Mongoose (*U.vitticollis*)  
Long-nosed Mongoose (*Xenogale naso*)  
Common Cusimanse (*Crossarchus obscurus*)  
Pousargues's Mongoose (*Dologale dybowskii*)

Ethiopian Dwarf Mongoose (*Helogale hirtula*)  
Common Dwarf Mongoose (*H. parvula*)  
Liberian Mongoose (*Liberiictis kuhni*)  
Banded Mongoose (*Mungos mungo*)  
Meerkat (*Suricata suricatta*)  
HYAENAS (HYAENIDAE) (5/5)  
Spotted Hyena (*Crocuta crocuta*)  
Striped Hyena (*Hyaena hyaena*)  
Brown Hyena (*Parahyaena brunnea*)  
Southern Aardwolf (*Proteles cristatus*)  
Eastern Aardwolf (*P. septentrionalis*)  
CIVETS, GENETS, AND OYANS (VIVERRIDAE) (20/36)  
Abyssinian Genet (*Genetta abyssinica*)  
Angolan Genet (*G. angolensis*) (?)  
Feline Genet (*G. felina*)  
Rusty-spotted Genet (*G. fieldiana*)  
Common Genet (*G. genetta*)  
Johnston's Genet (*G. johnstoni*)  
Servaline Genet (*G. servalina*)  
Cape Genet (*G. tigrina*)  
Banded Palm Civet (*Hemigalus derbyanus*)  
Binturong (*Arctictis binturong*)  
Small-toothed Palm Civet (*Arctogalidia trivirgata*)  
Masked Palm Civet (*Paguma larvata*)  
Northern Palm Civet (*Paradoxurus hermaphroditus*)  
Brown Palm Civet (*P. jerdoni*)  
Southern Palm Civet (*P. musanga*)  
Philippine Palm Civet (*P. philippinensis*)  
Golden Palm Civet (*P. zeylonensis*)  
African Civet (*Civettictis civetta*)  
Malay Civet (*Viverra zibetha*)  
Large Indian Civet (*V. zibetha*)  
Small Indian Civet (*Viverricula indica*)  
RHINOCEROSES (RHINOCEROTIDAE) (3/5)  
White Rhinoceros (*Ceratotherium simum*)  
Black Rhinoceros (*Diceros bicornis*)  
Greater One-horned Rhinoceros (*Rhinoceros unicornis*)  
TAPIRS (TAPIRIDAE) (4/4)

Central American Tapir (*Tapirus bairdii*)  
Malayan Tapir (*T.indicus*)  
Mountain Tapir (*T.pinchaque*)  
Lowland Tapir (*T.terrestris*)  
EQUINES (EQUIDAE) (8/9)  
Domestic Ass (*Equus asinus*)  
Domestic Horse (*E.caballus*)  
Wild Horse (*E.ferus*)  
Grevy's Zebra (*E.grevyi*)  
Onager (*E.hemionus*)  
Kiang (*E.kiang*)  
Plains Zebra (*E.quagga*)  
Mountain Zebra (*E.zebra*)  
PRONGHORNS (ANTILOCAPRIDAE) (1/1)  
Pronghorn (*Antilocapra americana*)  
BOVIDS (BOVIDAE) (121/153)  
Impala (*Aepyceros melampus*)  
Hartebeest (*Alcelaphus buselaphus*)  
Hiroa (*Beatragus hunteri*)  
Black Wildebeest (*Connochaetes gnou*)  
Blue Wildebeest (*C.taurinus*)  
Tsessebe (*Damaliscus lunatus*)  
Bontebok (*D.pygargus*)  
Dibatag (*Ammodorcas clarkei*)  
Springbok (*Antidorcas marsupialis*)  
Blackbuck (*Antilope cervicapra*)  
Beira (*Dorcatragus megalotis*)  
Red-fronted Gazelle (*Eudorcas rufifrons*)  
Thomson's Gazelle (*E.thomsonii*)  
Arabian Gazelle (*Gazella arabica*)  
Chinkara (*G.bennettii*)  
Cuvier's Gazelle (*G.cuvieri*)  
Dorcas Gazelle (*G.dorcas*)  
Mountain Gazelle (*G.gazella*)  
Slender-horned Gazelle (*G.leptoceros*)  
Sand Gazelle (*G.marica*)  
Goitered Gazelle (*G.subgutturosa*)  
Gerenuk (*Litocranius walleri*)

Naivasha Dik-dik (*Madoqua cavendishi*)  
Damara Dik-dik (*M.damarensis*)  
Guenther's Dik-dik (*M.guentheri*)  
Kirk's Dik-dik (*M.kirkii*)  
Silver Dik-dik (*M.piacentinii*)  
Salt's Dik-dik (*M.saltiana*)  
Ugogo Dik-dik (*M.thomasi*)  
Dama Gazelle (*Nanger dama*)  
Grant's Gazelle (*N.granti*)  
Bright's Gazelle (*N.notatus*)  
Peters's Gazelle (*N.petersii*)  
Soemmerring's Gazelle (*N.soemmerringii*)  
Oribi (*Ourebia ourebi*)  
Mongolian Gazelle (*Procapra gutturosa*)  
Tibetan Gazelle (*P.picticaudata*)  
Przewalski's Gazelle (*P.przewalskii*)  
Steenbok (*Raphicerus campestris*)  
Cape Grysbok (*R.melanotis*)  
Sharpe's Grysbok (*R.sharpei*)  
Saiga (*Saiga tatarica*)  
Aoudad (*Ammotragus lervia*)  
Arabian Tahr (*Arabitragus jayakari*)  
Chinese Takin (*Budorcas tibetana*)  
Wild Goat (*Capra aegagrus*)  
Kuban Tur (*C.caucasica*)  
Daghestan Tur (*C.cylindricornis*)  
Markhor (*C.falconeri*)  
Domestic Goat (*C.hircus*)  
Alpine Ibex (*C.ibex*)  
Nubian Ibex (*C.nubiana*)  
Iberian Ibex (*C.pyrenaica*)  
Siberian Ibex (*C.sibirica*)  
Walia Ibex (*C.walie*)  
Japanese Serow (*Capricornis crispus*)  
Maned Serow (*C.sumatraensis*)  
Formosan Serow (*C.swinhoei*)  
Himalayan Goral (*Naemorhedus goral*)  
Chinese Goral (*N.griseus*)

Nilgiri Tahr (*Nilgiritragus hylocrius*)  
Rocky Mountain Goat (*Oreamnos americanus*)  
Muskox (*Ovibos moschatus*)  
Argali (*Ovis ammon*)  
Domestic Sheep (*O. aries*)  
Bighorn Sheep (*O. canadensis*)  
Thinhorn Sheep (*O. dalli*)  
Urial (*O. vignei*)  
Chiru (*Pantholops hodgsonii*)  
Blue Sheep (*Pseudois nayaur*)  
Southern Chamois (*Rupicapra pyrenaica*)  
Northern Chamois (*R. rupicapra*)  
Brooke's Duiker (*Cephalophorus brookei*)  
Peters's Duiker (*C. callipygus*)  
Kivu Duiker (*C. kivuensis*)  
Natal Red Duiker (*C. natalensis*)  
Ogilby's Duiker (*C. ogilbyi*)  
Weyns's Duiker (*C. weynsi*)  
Bay Duiker (*Cephalophus dorsalis*)  
Yellow-backed Duiker (*C. silvicultor*)  
Aders's Duiker (*Leucocephalophus adersi*)  
Maxwell's Duiker (*Philantomba maxwellii*)  
Blue Duiker (*P. monticola*)  
Bush Duiker (*Sylvicapra grimmia*)  
Addax (*Addax nasomaculatus*)  
Roan Antelope (*Hippotragus equinus*)  
Sable Antelope (*H. niger*)  
Beisa Oryx (*Oryx beisa*)  
Scimitar-horned Oryx (*O. dammah*)  
Gemsbok (*O. gazella*)  
Royal Antelope (*Neotragus pygmaeus*)  
Suni (*Nesotragus moschatus*)  
Klipspringer (*Oreotragus oreotragus*)  
Waterbuck (*Kobus ellipsiprymnus*)  
Kob (*K. kob*)  
Southern Lechwe (*K. leche*)  
Puku (*K. vardonii*)  
Rhebok (*Pelea capreolus*)

Southern Reedbuck (*Redunca arundinum*)  
Mountain Reedbuck (*R.fulvorufula*)  
Bohor Reedbuck (*R.redunca*)  
Nilgai (*Boselaphus tragocamelus*)  
Chowsingha (*Tetracerus quadricornis*)  
American Bison (*Bos bison*)  
Wisent (*B.bonassus*)  
Gaur (*B.gaurus*)  
Banteng (*B.javanicus*)  
Wild Yak (*B.mutus*)  
Domestic Cattle (*B.taurus*)  
Asian Wild Buffalo (*Bubalus arnee*)  
Water Buffalo (*B.bubalis*)  
Tamaraw (*B.mindorensis*)  
Cape Buffalo (*Syncerus caffer*)  
Nyala (*Tragelaphus angasii*)  
Mountain Nyala (*T.buxtoni*)  
Lesser Kudu (*T.imberbis*)  
Common Eland (*T.oryx*)  
Northern Bushbuck (*T.scriptus*)  
Sitatunga (*T.spekii*)  
Greater Kudu (*T.strepsiceros*)  
Southern Bushbuck (*T.sylvaticus*)  
DEER (CERVIDAE) (32/57)  
Moose (*Alces alces*)  
Western Roe Deer (*Capreolus capreolus*)  
Eastern Roe Deer (*C.pygargus*)  
Water Deer (*Hydropotes inermis*)  
Gray Brocket (*Bisbalus citus*)  
Marsh Deer (*Blastocerus dichotomus*)  
North Andean Huemul (*Hippocamelus antisensis*)  
South Andean Huemul (*H.bisulcus*)  
Northwestern Red Brocket (*Mazama americana*)  
Central American Red Brocket (*M.temama*)  
Mule Deer (*Odocoileus hemionus*)  
White-tailed Deer (*O.virginianus*)  
Pampas Deer (*Ozotoceros bezoarticus*)  
Northern Brown Brocket (*Passalites nemorivagus*)

Southern Pudu (*Pudu puda*)  
Caribou (*Rangifer tarandus*)  
Chital (*Axis axis*)  
Hog Deer (*A. porcinus*)  
White-lipped Deer (*Cervus albirostris*)  
Wapiti (*C. canadensis*)  
Western Red Deer (*C. elaphus*)  
Sika Deer (*C. nippon*)  
Common Fallow Deer (*Dama dama*)  
Barasingha (*Rucervus duvaucelii*)  
Javan Deer (*Rusa timorensis*)  
Sambar (*R. unicolor*)  
Tufted Deer (*Elaphodus cephalophus*)  
Bornean Yellow Muntjac (*Muntiacus atherodes*)  
Malabar Red Muntjac (*M. malabaricus*)  
Southern Red Muntjac (*M. muntjak*)  
Reeves's Muntjac (*M. reevesi*)  
Northern Red Muntjac (*M. vaginalis*)  
GIRAFFES AND OKAPI (GIRAFFIDAE) (4/5)  
Northern Giraffe (*Giraffa camelopardalis*)  
Southern Giraffe (*G. giraffa*)  
Reticulated Giraffe (*G. reticulata*)  
Maasai Giraffe (*G. tippelskirchi*)  
MUSK DEER (MOSCHIDAE) (2/7)  
Forest Musk-deer (*Moschus berezovskii*)  
Alpine Musk-deer (*M. chrysogaster*)  
CHEVROTAINS (TRAGULIDAE) (5/10)  
Water Chevrotain (*Hyemoschus aquaticus*)  
Indian Chevrotain (*Moschiola indica*)  
White-spotted Chevrotain (*M. meminna*)  
Lesser Indo-Malayan Chevrotain (*Tragulus kanchil*)  
Greater Indo-Malayan Chevrotain (*T. napu*)  
SUIDS (SUIDAE) (10/18)  
Sulawesi Babirusa (*Babyrousa celebensis*)  
Giant Forest Hog (*Hylochoerus meinertzhageni*)  
Desert Warthog (*Phacochoerus aethiopicus*)  
Common Warthog (*P. africanus*)  
Bushpig (*Potamochoerus larvatus*)

Red River Hog (*P. porcus*)  
Bearded Pig (*Sus barbatus*)  
Sulawesi Warty Pig (*S. celebensis*)  
Domestic Pig (*S. domesticus*)  
Eurasian Wild Pig (*S. scrofa*)  
PECCARIES (TAYASSUIDAE) (3/3)  
Collared Peccary (*Dicotyles tajacu*)  
Chacoan Peccary (*Parachoerus wagneri*)  
White-lipped Peccary (*Tayassu pecari*)  
CAMELIDS (CAMELIDAE) (5/7)  
Domestic Bactrian Camel (*Camelus bactrianus*)  
Dromedary Camel (*C. dromedarius*)  
Wild Bactrian Camel (*C. ferus*)  
Guanaco (*Lama guanicoe*)  
Vicuna (*L. vicugna*)  
HIPPOPOTAMUSES (HIPPOPOTAMIDAE) (2/2)  
Pygmy Hippopotamus (*Choeropsis liberiensis*)  
Common Hippopotamus (*Hippopotamus amphibius*)  
BOWHEAD AND RIGHT WHALES (BALAENIDAE) (3/4)  
Bowhead Whale (*Balaena mysticetus*)  
Southern Right Whale (*Eubalaena australis*)  
North Atlantic Right Whale (*E. glacialis*)  
RORQUALS (BALAENOPTERIDAE) (9/11)  
Common Minke Whale (*Balaenoptera acutorostrata*)  
Sei Whale (*B. borealis*)  
Bryde's Whale (*B. brydei*)  
Eden's Whale (*B. edeni*)  
Blue Whale (*B. musculus*)  
Omura's Whale (*B. omurai*)  
Fin Whale (*B. physalus*)  
Gray Whale (*Eschrichtius robustus*)  
Humpback Whale (*Megaptera novaeangliae*)  
OCEANIC DOLPHINS (DELPHINIDAE) (37/41)  
Eastern Pacific Long-beaked Common Dolphin (*Delphinus bairdii*)  
Panglobal Common Dolphin (*D. delphis*)  
Fraser's Dolphin (*Lagenodelphis hosei*)  
Tucuxi (*Sotalia fluviatilis*)  
Guiana Dolphin (*S. guianensis*)

Indo-Pacific Humpback Dolphin (*Sousa chinensis*)  
Indian Humpback Dolphin (*S.plumbea*)  
Australian Humpback Dolphin (*S.sahulensis*)  
Pantropical Spotted Dolphin (*Stenella attenuata*)  
Striped Dolphin (*S.coeruleoalba*)  
Atlantic Spotted Dolphin (*S.frontalis*)  
Spinner Dolphin (*S.longirostris*)  
Indo-Pacific Bottlenose Dolphin (*Tursiops aduncus*)  
Tamanend's Bottlenose Dolphin (*T.erebennus*)  
Common Bottlenose Dolphin (*T.truncatus*)  
Pygmy Killer Whale (*Feresa attenuata*)  
Short-finned Pilot Whale (*Globicephala macrorhynchus*)  
Long-finned Pilot Whale (*G.melas*)  
Risso's Dolphin (*Grampus griseus*)  
Irrawaddy Dolphin (*Orcaella brevirostris*)  
Australian Snubfin Dolphin (*O.heinsohni*)  
Melon-headed Whale (*Peponocephala electra*)  
False Killer Whale (*Pseudorca crassidens*)  
Rough-toothed Dolphin (*Steno bredanensis*)  
White-beaked Dolphin (*Lagenorhynchus albirostris*)  
Atlantic White-sided Dolphin (*Leucopleurus acutus*)  
Resident Killer Whale (*Orcinus ater*)  
Common Killer Whale (*O.orca*)  
Bigg's Killer Whale (*O.rectipinnus*)  
Commerson's Dolphin (*Cephalorhynchus commersonii*)  
Chilean Dolphin (*C.eutropia*)  
Heaviside's Dolphin (*C.heavisidii*)  
Hector's Dolphin (*C.hectori*)  
Northern Right-whale Dolphin (*Lissodelphis borealis*)  
Peale's Dolphin (*Sagmatias australis*)  
Pacific White-sided Dolphin (*S.obliquidens*)  
Dusky Dolphin (*S.obscurus*)  
NARWHALS AND BELUGAS (MONODONTIDAE) (2/2)  
Beluga (*Delphinapterus leucas*)  
Narwhal (*Monodon monoceros*)  
PORPOISES (PHOCOENIDAE) (6/8)  
Yangtze Finless Porpoise (*Neophocaena asiaeorientalis*)  
East Asian Finless Porpoise (*N.sunameri*)

Harbor Porpoise (*Phocoena phocoena*)  
Vaquita (*P.sinus*)  
Burmeister's Porpoise (*P.spinipinnis*)  
Dall's Porpoise (*Phocoenoides dalli*)  
SOUTH AMERICAN RIVER DOLPHINS (INIIDAE) (3/4)  
Bolivian River Dolphin (*Inia boliviensis*)  
Amazon River Dolphin (*I.geoffrensis*)  
Orinoco River Dolphin (*I.humboldtiana*)  
ESTUARINE RIVER DOLPHINS (PONTOPORIIDAE) (1/1)  
Franciscana (*Pontoporia blainvillei*)  
DWARF SPERM WHALES (KOGIIDAE) (2/2)  
Pygmy Sperm Whale (*Kogia breviceps*)  
Dwarf Sperm Whale (*K.sima*)  
SPERM WHALES (PHYSETERIDAE) (1/1)  
Sperm Whale (*Physeter macrocephalus*)  
SOUTH ASIAN RIVER DOLPHINS (PLATANISTIDAE) (1/2)  
Ganges River Dolphin (*Platanista gangetica*)  
BEAKED WHALES (ZIPHIIDAE) (4/24)  
Northern Bottlenose Whale (*Hyperoodon ampullatus*)  
Sowerby's Beaked Whale (*Mesoplodon bidens*)  
Gervais's Beaked Whale (*M.europaeus*)  
Cuvier's Beaked Whale (*Ziphius cavirostris*)

2274 at March 5 2025